

YEAR-END INDEX 1987, VOLS. 74-79

absolute age *see also* geochronology; isotopes

absolute age—dates

basalts: Age determinations of eastern Pacific seamounts (Henderson, 6 and 7); implications for near-ridge and intraplate volcanism

(Honda, M., *et al.*) 74(1-2): 79-84

marine sediments: Late Quaternary sedimentation in the Tyro and Kretheus basins, southeast of Crete

(Troelstra, Simon R.) 75(1-4): 77-91

— Pelagic sedimentation on an inactive gullied slope, Northwest Providence Channel, Bahamas

(Burns, Stephen J., *et al.*) 77(3-4): 277-286

phosphate rocks: Radiometric ages of phosphorites from the west coast of India

(Borole, D. V., *et al.*) 78(1-2): 161-165

volcanic rocks: Vavilov Seamount; a mildly alkaline Quaternary volcano in the Tyrrhenian Basin

(Robin, C., *et al.*) 78(1-2): 125-136

absolute age—interpretation

paleo-oceanography: Ocean ventilation during the last 12,000 years; hypothesis of counterpoint deep water production

(Berger, W. H.) 78(1-2): 1-10

acoustical methods *see under* geophysical methods

acoustical surveys *see under* geophysical surveys *under* Arctic Ocean; Atlantic Ocean; data processing; Mediterranean Sea; North Sea; Pacific Ocean

Adriatic Sea—oceanography

sedimentation: Recent deposits and suspended sediments off the Po della Pila (Po River, main mouth), Italy

(Boldrin, A., *et al.*) 79(3-4): 159-170

Aegean Sea—geophysical surveys

seismic surveys: Late Quaternary tectonic and sedimentary history of outer Izmir and Candarli bays, western Turkey

(Aksu, A. E., *et al.*) 76(1-2): 89-104

surveys: The geology and geochemistry of the surficial sediments off Thraki, northern Greece

(Perissoratis, C., *et al.*) 74(3-4): 209-224

Africa *see also* Egypt; Namibia; Nigeria; South Africa

Alaska—oceanography

continental margin: Surface current patterns suggested by suspended sediment distribution over the outer continental margin, Bering Sea

(Karl, Herman A., *et al.*) 74(3-4): 301-308

continental shelf: Ice erosion of a sea-floor knickpoint at the inner edge of the stamukhi zone, Beaufort Sea, Alaska

(Barnes, Peter W., *et al.*) 76(3-4): 207-222

algal flora—diatom flora

Holocene: El Nino in Santa Barbara Basin; diatom, radiolarian and foraminiferan responses to the "1983 El Nino" event

(Lange, C. B., *et al.*) 78(1-2): 153-160

— Variability of Holocene diatom assemblages in laminated sediments near Walvis Bay, Southwest Africa

(Pokras, Edward M., *et al.*) 76(3-4): 185-194

Neogene: Regional late Pliocene-early Pleistocene hiatuses of the Southern Ocean; diatom evidence

(Burckle, Lloyd H., *et al.*) 77(3-4): 207-218

algal flora—nannofossils

Holocene: Late Quaternary sedimentation in the Tyro and Kretheus basins, southeast of Crete

(Troelstra, Simon R.) 75(1-4): 77-91

Pliocene: Subtropical microfossil indicators from the late Pliocene Celtic Sea

(Houghton, S. D., *et al.*) 79(1-2): 119-126

Quaternary: Late Quaternary plume, nepheloid and turbidite sedimentation and effect of the Gulf Stream near the tail of the Grand Banks, Newfoundland

(Alam, Mahmood) 74(3-4): 277-290

— Stratigraphy and sedimentation in the anoxic Bannock Basin (eastern Mediterranean)

(Parisi, Elisabetta, *et al.*) 75(1-4): 93-117

— Stratigraphy and sedimentation in the western Strabo Trench, eastern Mediterranean

(Erba, Elisabetta, *et al.*) 75(1-4): 57-75

Alps *see also* the individual countries

Andes *see also* the individual countries

Antarctic Ocean—oceanography

ocean floors: Structure and evolution of the Kerguelen-Heard Plateau (Indian Ocean) deduced from seismic stratigraphic studies

(Munsch, Marc, *et al.*) 76(1-2): 131-152

Antarctic Ocean—stratigraphy

Pleistocene: Regional late Pliocene-early Pleistocene hiatuses of the Southern Ocean; diatom evidence

(Burckle, Lloyd H., *et al.*) 77(3-4): 207-218

Pliocene: Regional late Pliocene-early Pleistocene hiatuses of the Southern Ocean; diatom evidence

(Burckle, Lloyd H., *et al.*) 77(3-4): 207-218

Antarctica—stratigraphy

changes of level: Sea level changes, carbonate dissolution and history of the Benguela Current in the Oligocene-Miocene off Southwest Africa (DSDP Site 362, Leg 40)

(Diester-Haass, L.) 79(3-4): 213-242

Appalachians *see also* the individual states and provinces

Arabian Sea—geochemistry

- trace elements:* Geochemistry of surface sediments from the Arabian Sea
(Shankar, R., *et al.*) 76(3-4): 253-279

Arabian Sea—geochronology

- Quaternary:* Radiometric ages of phosphorites from the west coast of India
(Borole, D. V., *et al.*) 78(1-2): 161-165

Arabian Sea—oceanography

- sedimentation:* Monsoon-induced seasonal variability of sheltered versus exposed beaches along the west coast of India
(Shenoi, S. S. C., *et al.*) 76(1-2): 117-130
sediments: A study of some physical properties of sediments of the backwaters and the adjoining continental shelf off Cochin, India
(Murty, G. R. K., *et al.*) 77(1-2): 121-128

Arctic Ocean—geophysical surveys

- acoustical surveys:* Ice erosion of a sea-floor knickpoint at the inner edge of the stamukhi zone, Beaufort Sea, Alaska
(Barnes, Peter W., *et al.*) 76(3-4): 207-222

Arctic Ocean—oceanography

- sea ice:* Field observations of slush ice generated during freeze-up in Arctic coastal waters
(Reimnitz, Erk, *et al.*) 77(3-4): 219-231

Arctic region *see also* the individual countries

Argentina—oceanography

- estuaries:* A sand wave field in the entrance to Bahia Blanca estuary, Argentina
(Aliotta, Salvador, *et al.*) 76(1-2): 1-14

Asia *see also* India; Indonesia; Korea

Atlantic Coastal Plain—stratigraphy

- Quaternary:* Evolution of the Cape Fear Terrace; a complex interaction between the Gulf Stream and a paleo-shelf edge delta
(Matteucci, Thomas D., *et al.*) 77(3-4): 185-205

Atlantic Ocean *see also* Caribbean Sea; Gulf of Mexico; North Sea

Atlantic Ocean—geochemistry

- sedimentary rocks:* The chemistry and mineralogy of ferromanganese encrustations on rocks from the Sierra Leone Rise, equatorial Mid-Atlantic Ridge and New England seamount chain
(Goddard, D. A., *et al.*) 77(1-2): 87-98

Atlantic Ocean—geophysical surveys

- acoustical surveys:* A sand wave field in the entrance to Bahia Blanca estuary, Argentina
(Aliotta, Salvador, *et al.*) 76(1-2): 1-14
— Iceberg crater marks on the sea floor, Labrador Shelf
(Bass, D. W., *et al.*) 79(3-4): 243-260
— Mass-wasting features on the continental slope of Northwest Europe
(Kenyon, Neil H.) 74(1-2): 57-77
— The impact of Hurricane Diana on the North Carolina continental shelf
(Vaughan, Nancy D., *et al.*) 76(1-2): 169-176
seismic surveys: Evolution of deep-water climbing dunes in the Rockall Trough; implications for overflow currents across the Wyville-Thomson Ridge in the (?)late Miocene
(Richards, Philip C., *et al.*) 76(3-4): 177-183
— Evolution of the Cape Fear Terrace; a complex interaction between the Gulf Stream and a paleo-shelf edge delta
(Matteucci, Thomas D., *et al.*) 77(3-4): 185-205

- Late Pleistocene drainage systems beneath Delaware Bay
(Knebel, Harley J., *et al.*) 78(3-4): 285-302

- Pelagic sedimentation on an inactive gullied slope, Northwest Providence Channel, Bahamas
(Burns, Stephen J., *et al.*) 77(3-4): 277-286

- Seismic, bathymetric and photographic evidence of widespread erosion and a manganese-nodule pavement along the continental rise of the Southeast Cape Basin
(Rogers, J.) 78(1-2): 57-76

- surveys:* Proglacial sediment instability features on the Scotian Slope at 63°W
(Piper, David J. W., *et al.*) 76(1-2): 15-31

Atlantic Ocean—oceanography

- ocean circulation:* Evolution of the Cape Fear Terrace; a complex interaction between the Gulf Stream and a paleo-shelf edge delta
(Matteucci, Thomas D., *et al.*) 77(3-4): 185-205

- Late Quaternary plume, nepheloid and turbidite sedimentation and effect of the Gulf Stream near the tail of the Grand Banks, Newfoundland
(Alam, Mahmood) 74(3-4): 277-290

- Plio-Pleistocene sedimentation on the Walvis Ridge, Southeast Atlantic (DSDP Leg 75, Site 532); influence of surface currents, carbonate dissolution and climate
(Diester-Haass, L., *et al.*) 77(1-2): 53-85

- Seismic, bathymetric and photographic evidence of widespread erosion and a manganese-nodule pavement along the continental rise of the Southeast Cape Basin
(Rogers, J.) 78(1-2): 57-76

- Suspended particulate matter transport through the Vema Channel
(Richardson, M. J., *et al.*) 77(3-4): 171-184

- ocean floors:* Evolution of deep-water climbing dunes in the Rockall Trough; implications for overflow currents across the Wyville-Thomson Ridge in the (?)late Miocene
(Richards, Philip C., *et al.*) 76(3-4): 177-183

- Seismic, bathymetric and photographic evidence of widespread erosion and a manganese-nodule pavement along the continental rise of the Southeast Cape Basin
(Rogers, J.) 78(1-2): 57-76

- sedimentation:* Large submarine slides on the Norwegian continental margin; sediments, transport and timing
(Jansen, Eysteinn, *et al.*) 78(1-2): 77-107

- Sources and distribution of late Quaternary silt in the surficial sediment of the northeastern continental shelf of the United States
(Mazzullo, Jim, *et al.*) 78(3-4): 241-254

Atlantic Ocean—stratigraphy

- Holocene:* Variability of Holocene diatom assemblages in laminated sediments near Walvis Bay, Southwest Africa
(Pokras, Edward M., *et al.*) 76(3-4): 185-194

- Miocene:* Evolution of deep-water climbing dunes in the Rockall Trough; implications for overflow currents across the Wyville-Thomson Ridge in the (?)late Miocene
(Richards, Philip C., *et al.*) 76(3-4): 177-183

- Sea level changes, carbonate dissolution and history of the Benguela Current in the Oligocene-Miocene off Southwest Africa (DSDP Site 362, Leg 40)
(Diester-Haass, L.) 79(3-4): 213-242

- Oligocene:* Sea level changes, carbonate dissolution and history of the Benguela Current in the Oligocene-Miocene off

- Southwest Africa (DSDP Site 362, Leg 40)
(Diester-Haass, L.) 79(3-4): 213-242
- Pleistocene:** Plio-Pleistocene sedimentation on the Walvis Ridge, Southeast Atlantic (DSDP Leg 75, Site 532); influence of surface currents, carbonate dissolution and climate (Diester-Haass, L., *et al.*) 77(1-2): 53-85
- Pliocene:** Changes in mid-depth North Atlantic and Mediterranean circulation during the late Pliocene; isotopic and sedimentological evidence (Loubere, Paul) 77(1-2): 15-38
- Late Pliocene variations in the carbon isotope values of North Atlantic benthic foraminifera; biotic control of the isotopic record? (Loubere, Paul) 76(1-2): 45-56
- Plio-Pleistocene sedimentation on the Walvis Ridge, Southeast Atlantic (DSDP Leg 75, Site 532); influence of surface currents, carbonate dissolution and climate (Diester-Haass, L., *et al.*) 77(1-2): 53-85
- Quaternary:** Late Quaternary plume, nepheloid and turbidite sedimentation and effect of the Gulf Stream near the tail of the Grand Banks, Newfoundland (Alam, Mahmood) 74(3-4): 277-290
- Atlantic region** *see also* the individual countries
- atolls** *see* reefs *under* oceanography *under* Marshall Islands; Polynesia
- Australasia** *see also* New Zealand
- Australia** *see also* New South Wales; Tasmania; Victoria; Western Australia
- Australia—oceanography**
continental margin: Plankton percentage of the foraminiferal fauna in seafloor samples from the Australian-Irian Jaya continental margin, eastern Indonesia (Van Marle, L. J., *et al.*) 77(1-2): 151-156
- automatic data processing** *see* data processing
- Bahamas—oceanography**
sedimentation: Pelagic sedimentation on an inactive gullied slope, Northwest Providence Channel, Bahamas (Burns, Stephen J., *et al.*) 77(3-4): 277-286
- Baltic region** *see also* the individual countries
- beaches** *see under* shore features *under* geomorphology
- Bering Sea—oceanography**
sedimentation: Surface current patterns suggested by suspended sediment distribution over the outer continental margin, Bering Sea (Karl, Herman A., *et al.*) 74(3-4): 301-308
- book reviews—environmental geology**
title: Living with the shore of Puget Sound and the Georgia Strait [book review] (McManus, Dean A.) 79(1-2): 155-157
- book reviews—general**
title: Principles and methods [book review] (Torelli, Luigi) 77(3-4): 336-337
- book reviews—geochemistry**
title: Geochemistry of marine humic compounds [book review] (Mantoura, R. F. C.) 78(3-4): 311
- book reviews—geomorphology**
title: Glacial sedimentary environments [book review] (Elderfield, H.) 76(3-4): 334
- book reviews—oceanography**
title: Archaeological investigations on the outer continental shelf; a study within the Sabine River valley, offshore Louisiana and Texas [book review] (McManus, Dean A.) 79(1-2): 153-154
- Carbonate sands; a core workshop [book review] (Braithwaite, C. J. R.) 77(3-4): 333-335
- Deep-water carbonates; a core workshop [book review] (Braithwaite, C. J. R.) 77(3-4): 333-335
- Ocean uses and their regulation [book review] (Fluharty, David L.) 76(3-4): 333-334
- Platform margin and deep-water carbonates [book review] (Braithwaite, C. J. R.) 77(3-4): 333-335
- Shelf sands and sandstones [book review] (McManus, Dean A.) 79(1-2): 154-155
- Submarine fans and related turbidite systems [book review] (Link, Martin H.) 77(3-4): 335-336
- The estuary as a filter [book review] (Mettam, C.) 74(3-4): 309-310
- book reviews—paleobotany**
title: Marine benthic diatoms in China, Vol. I [book review] (Sullivan, Michael J.) 76(3-4): 334-335
- Paleoalgology; contemporary research and applications [book review] (Rowland, Stephen M.) 79(1-2): 157-158
- book reviews—paleontology**
title: The Gulf of Aqaba; ecological micropaleontology [book review] (Orr, William N.) 74(3-4): 311
- book reviews—stratigraphy**
title: Fine-grained sediments; deep-water processes and facies [book review] (Berry, R. W.) 76(3-4): 331-332
- South Atlantic paleoceanography [book review] (Austin, J. A., Jr.) 76(3-4): 331
- Synthesis and modelling of intermittent estuaries, a case study from planning to evaluation [book review] (Cloern, James E.) 76(3-4): 332-333
- California—engineering geology**
earthquakes: Seafloor gas seeps triggered by a Northern California earthquake (Field, Michael E., *et al.*) 77(1-2): 39-51
- shorelines:* Sand dispersion from an ephemeral river delta on the Central California coast (Hicks, D. Murray, *et al.*) 77(3-4): 305-318
- California—oceanography**
continental margin: El Nino in Santa Barbara Basin; diatom, radiolarian and foraminiferan responses to the "1983 El Nino" event (Lange, C. B., *et al.*) 78(1-2): 153-160
- continental shelf:* Seafloor gas seeps triggered by a Northern California earthquake (Field, Michael E., *et al.*) 77(1-2): 39-51
- Canada** *see also* Atlantic Coastal Plain; Great Lakes; Labrador; Newfoundland; Nova Scotia; Ontario
- carbon— isotopes**
C-13/C-12: A Walsh spectral comparison of oxygen ($\delta^{18}\text{O}$) and carbon isotope ($\delta^{13}\text{C}$) variations of the Pleistocene bore hole (Eureka 67-135) from the Gulf of Mexico and

- their orbital significance
(Tiwari, R. K.) 78(1-2): 167-174
- Carbon and oxygen isotope composition of *Globigerinoides ruber* in two deep-sea cores from the Levantine Basin (eastern Mediterranean)
(Parisi, Elisabetta) 75(1-4): 201-219
- Late Pliocene variations in the carbon isotope values of North Atlantic benthic foraminifera; biotic control of the isotopic record?
(Loubere, Paul) 76(1-2): 45-56
- Paleoenvironmental changes from stable isotopes in planktonic foraminifera from eastern Mediterranean sapropels
(Ganssen, Gerald, *et al.*) 75(1-4): 221-230
- C-14/C-12: Ocean ventilation during the last 12,000 years; hypothesis of counterpoint deep water production
(Berger, W. H.) 78(1-2): 1-10
- Caribbean region** *see also* the individual countries
- Caribbean Sea—stratigraphy**
Cretaceous: Deep-sea current flow in the Late Cretaceous Caribbean; measurements on St. Croix, U.S. Virgin Islands
(Stanley, Daniel Jean) 79(1-2): 127-133
- Carpathians** *see also* the individual countries
- Cenozoic** *see also* under stratigraphy under Indian Ocean
- changes of level** *see also* under geomorphology under Delaware; New Jersey; Western Australia; *see also* under stratigraphy under Antarctica; Egypt; Greece; Korea; Namibia; North Carolina; Polynesia; Turkey
- chemical analysis** *see also* electron microscopy
- circulation in the ocean** *see* ocean circulation
- clastic rocks** *see* under sedimentary rocks
- clastic sediments** *see* under sediments
- clay mineralogy—areal studies**
Atlantic Ocean: Plio-Pleistocene sedimentation on the Walvis Ridge, Southeast Atlantic (DSDP Leg 75, Site 532); influence of surface currents, carbonate dissolution and climate
(Diester-Haass, L., *et al.*) 77(1-2): 53-85
Indian Ocean: Mineralogy of polymetallic nodules and associated sediments from the central Indian Ocean basin
(Rao, V. Purnachandra) 74(1-2): 151-157
- clay mineralogy—experimental studies**
techniques: Nonspherical sediment particles; comparison of size and volume distributions obtained with an optical and a resistive particle counter
(Jonasz, Mirosław) 78(1-2): 137-142
- climate, ancient** *see* paleoclimatology
- cobalt—geochemistry**
chemically precipitated rocks: Cobalt- and platinum-rich ferromanganese crusts and associated substrate rocks from the Marshall Islands
(Hein, James R., *et al.*) 78(3-4): 255-283
nodules: Characteristics of Co-Rich ferromanganese nodules and crusts sampled in French Polynesia
(Pichocki, Claude, *et al.*) 77(1-2): 109-119
- Colorado Plateau** *see also* the individual states
- Columbia Plateau** *see also* the individual states
- continental margin** *see also* under oceanography under Alaska; Australia; California; France; Greece; Gulf Coastal Plain; Indonesia; Newfoundland; Norway; Peru
- continental shelf** *see also* marine geology; *see also* under oceanography under Alaska; California; Delaware; Eastern U.S.; India; Korea; Labrador; Namibia; New Jersey; North Carolina; Texas; Turkey
- continental slope** *see also* marine geology; *see also* under oceanography under Europe; Ireland; Norway; Nova Scotia; Scotland; South Africa
- Cretaceous** *see also* under stratigraphy under Caribbean Sea; Lesser Antilles
- Cretaceous—sedimentary petrology**
sedimentation: Bed-scale cyclicity of pelagic Cretaceous successions as a result of world-wide control
(Cotillon, Pierre) 78(1-2): 109-123
- crust** *see also* under tectonophysics under Indian Ocean; Tyrrhenian Sea
- crystal chemistry** *see also* crystal growth; minerals
- crystal growth** *see also* minerals
- crystal growth—sulfates**
gypsum: Brine formation and gypsum precipitation in the Bannock Basin, eastern Mediterranean
(Corselli, C., *et al.*) 75(1-4): 185-199
- crystal structure** *see also* crystal growth; minerals
- data processing—geomorphology**
processes: A simple model of beach foreshore response to long-period waves
(Howd, P. A., *et al.*) 78(1-2): 11-22
- data processing—geophysical surveys**
acoustical surveys: Tectonic and geomorphic interpretation of the Ogasawara Plateau region by multibeam-based 3D methods
(Smoot, N. Christian, *et al.*) 79(1-2): 141-147
- data processing—oceanography**
ocean floors: Automated display and statistical analysis of interpreted deep-sea bottom photographs
(Fox, Christopher G., *et al.*) 78(3-4): 199-216
- data processing—sedimentary petrology**
sediments: Computer characterization of aspects of grain-edge roughness using the scanning electron microscope
(Williams, A. T., *et al.*) 74(3-4): 291-294
- deformation—experimental studies**
strain: Sedimentological significance of strain and sonic velocity anisotropy in fine-grained turbiditic and hemipelagic deep-sea sediments; an example from the Mississippi Fan
(Wetzel, Andreas) 74(3-4): 191-207
- Delaware—geomorphology**
changes of level: Late Pleistocene drainage systems beneath Delaware Bay
(Knebel, Harley J., *et al.*) 78(3-4): 285-302
- Delaware—oceanography**
continental shelf: Late Pleistocene drainage systems beneath Delaware Bay
(Knebel, Harley J., *et al.*) 78(3-4): 285-302
- deposition of ores** *see* mineral deposits, genesis
- diagenesis** *see also* sedimentation
- diagenesis—geochemistry**
metals: Hydrothermal metallogenesis at the Wilkes fracture zone—East Pacific Rise intersection
(Varnavas, S. P.) 79(1-2): 77-104
pore water: Interstitial water studies of late Quaternary eastern Mediterranean sediments with emphasis on early diagenetic reactions and evaporitic salt influences
(ten Haven, H. L., *et al.*) 75(1-4): 119-136
- diatom flora** *see* under algal flora

earthquakes *see under* seismology; *see also* seismology; *see also under* engineering geology *under* California; *see also under* seismology *under* Indian Ocean

East China Sea—geophysical surveys

seismic surveys: Depositional history of Quaternary sediments on the continental shelf off the southeastern coast of Korea (Korea Strait)
(Park, Soo C., *et al.*) 79(1-2): 65-75

Eastern Hemisphere *see also* Antarctic Ocean; Antarctica; Arctic Ocean; Atlantic Ocean; Europe; Indian Ocean

Eastern U.S. *see also* Delaware; New Jersey; New York; North Carolina

Eastern U.S.—oceanography

continental shelf: Sources and distribution of late Quaternary silt in the surficial sediment of the northeastern continental shelf of the United States
(Mazzullo, Jim, *et al.*) 78(3-4): 241-254

ecology—changes

marine environment: El Nino in Santa Barbara Basin; diatom, radiolarian and foraminiferan responses to the "1983 El Nino" event
(Lange, C. B., *et al.*) 78(1-2): 153-160

ecology—observations

intertidal environment: Bioerosion of intertidal limestone, Co. Clare, Eire; 1, *Paracentrotus lividus*
(Trudgill, Stephen T., *et al.*) 74(1-2): 85-98
— Bioerosion of intertidal limestone, Co. Clare, Eire; 2, *Hiatella arctica*
(Trudgill, Stephen T., *et al.*) 74(1-2): 99-109
— Bioerosion of intertidal limestone, Co. Clare, Eire; 3, Zonation, process and form
(Trudgill, Stephen T.) 74(1-2): 111-121

Egypt—stratigraphy

changes of level: Late Quaternary stratigraphy and paleogeography of the eastern Nile Delta, Egypt
(Coutellier, Vincent, *et al.*) 77(3-4): 257-275

Quaternary: Late Quaternary stratigraphy and paleogeography of the eastern Nile Delta, Egypt
(Coutellier, Vincent, *et al.*) 77(3-4): 257-275

— Quartz grain surface textures and depositional interpretations, Nile Delta region, Egypt
(Frihy, Omran E., *et al.*) 77(3-4): 247-255

electron microscopy—techniques

data processing: Computer characterization of aspects of grain-edge roughness using the scanning electron microscope
(Williams, A. T., *et al.*) 74(3-4): 291-294

engineering geology *see also* deformation; geodesy; geophysical methods; ground water; soil mechanics

England—geomorphology

weathering: Sub-aerial weathering of Chalk shore platforms during harsh winters in Southeast England
(Robinson, D. A., *et al.*) 77(1-2): 1-14

England—oceanography

sedimentation: Indication of long term episodic suspension transport of sand across the Norfolk Banks, North Sea
(Stride, A. H.) 79(1-2): 55-64

England—stratigraphy

Pliocene: Subtropical microfossil indicators from the late Pliocene Celtic Sea
(Houghton, S. D., *et al.*) 79(1-2): 119-126

environmental geology *see also* ecology

eruptive rocks *see* igneous rocks

Europe *see also* England; France; Greece; Ireland; Norway; Scotland

Europe—oceanography

continental slope: Mass-wasting features on the continental slope of Northwest Europe
(Kenyon, Neil H.) 74(1-2): 57-77

experimental studies *see under* clay mineralogy; deformation

Far East *see also* the individual countries

faulting *see* faults

faults—distribution

marginal basins: Structural evolution of the Tyrrhenian back-arc basin
(Rehault, J. P., *et al.*) 74(1-2): 123-150

folds *see also* faults

foraminifera *see also* foraminifers

foraminifera—Globigerinacea

Pleistocene: Phenotypic variation of *Globorotalia scitula* (Foraminiferida) as a response to Pleistocene climatic fluctuations
(Baumfalk, Ynze A., *et al.*) 75(1-4): 231-240

foraminifers *see also* foraminifera

foraminifers—biochemistry

isotopes: Carbon and oxygen isotope composition of *Globigerinoides ruber* in two deep-sea cores from the Levantine Basin (eastern Mediterranean)
(Parisi, Elisabetta) 75(1-4): 201-219
— Changes in mid-depth North Atlantic and Mediterranean circulation during the late Pliocene; isotopic and sedimentological evidence
(Loubere, Paul) 77(1-2): 15-38
— Late Pliocene variations in the carbon isotope values of North Atlantic benthic foraminifera; biotic control of the isotopic record?
(Loubere, Paul) 76(1-2): 45-56
— Ocean ventilation during the last 12,000 years; hypothesis of counterpoint deep water production
(Berger, W. H.) 78(1-2): 1-10
— Paleoenvironmental changes from stable isotopes in planktonic foraminifera from eastern Mediterranean sapropels
(Ganssen, Gerald, *et al.*) 75(1-4): 221-230

foraminifers—biostratigraphy

Holocene: Late Quaternary sedimentation in the Tyro and Kretheus basins, southeast of Crete
(Troelstra, Simon R.) 75(1-4): 77-91

Neogene: Stratigraphy and sedimentation in the western Strabo Trench, eastern Mediterranean
(Erba, Elisabetta, *et al.*) 75(1-4): 57-75

Quaternary: Brine formation and gypsum precipitation in the Bannock Basin, eastern Mediterranean
(Corse, C., *et al.*) 75(1-4): 185-199

— Late Quaternary plume, nepheloid and turbidite sedimentation and effect of the Gulf Stream near the tail of the Grand Banks, Newfoundland
(Alam, Mahmood) 74(3-4): 277-290

— Stratigraphy and sedimentation in the anoxic Bannock Basin (eastern Mediterranean)
(Parisi, Elisabetta, *et al.*) 75(1-4): 93-117

foraminifers—ecology

- marine environment*: El Nino in Santa Barbara Basin; diatom, radiolarian and foraminiferan responses to the "1983 El Nino" event
(Lange, C. B., *et al.*) 78(1-2): 153-160

foraminifers—paleoecology

- Quaternary*: Plankton percentage of the foraminiferal fauna in seafloor samples from the Australian-Irian Jaya continental margin, eastern Indonesia
(Van Marle, L. J., *et al.*) 77(1-2): 151-156
— Response of benthic foraminifera to stagnant episodes; a quantitative study of core BAN 81-23, eastern Mediterranean
(Oggioni, Elisabetta, *et al.*) 75(1-4): 241-261
Tertiary: Sea level changes, carbonate dissolution and history of the Benguela Current in the Oligocene-Miocene off Southwest Africa (DSDP Site 362, Leg 40)
(Diester-Haass, L.) 79(3-4): 213-242

fossils *see* appropriate fossil group

foundations *see also* soil mechanics

France—oceanography

- continental margin*: Geotechnical properties and sedimentological processes of the Rhone continental margin
(Chassefiere, B., *et al.*) 74(3-4): 225-235

genesis of ore deposits *see* mineral deposits, genesis

geochemistry—processes

- oxidation*: Sulfur and oxygen isotopic compositions of dissolved sulfate in the Orca Basin; implications for origin of the high-salinity brine and oxidation of sulfides at the brine-seawater interface
(Sheu, Der-Duen, *et al.*) 78(3-4): 303-310
solution: Plio-Pleistocene sedimentation on the Walvis Ridge, Southeast Atlantic (DSDP Leg 75, Site 532); influence of surface currents, carbonate dissolution and climate
(Diester-Haass, L., *et al.*) 77(1-2): 53-85

geochronology *see also* absolute age

geochronology—paleomagnetism

- magnetostratigraphy*: Regional late Pliocene-early Pleistocene hiatuses of the Southern Ocean; diatom evidence
(Burckle, Lloyd H., *et al.*) 77(3-4): 207-218

geodesy—surveys

- Indian Ocean*: The Kerguelen-Heard aseismic ridge; geoid anomaly and isostatic compensation
(Recq, Maurice, *et al.*) 76(3-4): 301-311

geologic hazards *see also* under engineering geology under Hawaii

geologic time *see* absolute age; geochronology

geomorphology—processes

- sedimentation*: A simple model of beach foreshore response to long-period waves
(Howd, P. A., *et al.*) 78(1-2): 11-22
— Flow characteristics at the rip current neck under low energy conditions
(Bowman, D., *et al.*) 79(1-2): 41-54
— Low-frequency variation in the seasonal intensity of coastal weather systems and sediment movement on the beachface of a sandy beach
(Clarke, D. J., *et al.*) 79(1-2): 23-39
— Sand dispersion from an ephemeral river delta on the Central California coast
(Hicks, D. Murray, *et al.*) 77(3-4): 305-318

- The interrelation and distinction between flood-tidal delta and washover deposits in a transgressive barrier island
(Hennessy, John T., *et al.*) 78(1-2): 35-56

- weathering*: Sub-aerial weathering of Chalk shore platforms during harsh winters in Southeast England
(Robinson, D. A., *et al.*) 77(1-2): 1-14

geomorphology—shore features

- bars*: Nearshore bar formation by non-linear wave processes; a comparison of model results and field data
(Boczar-Karakiewicz, Barbara, *et al.*) 77(3-4): 287-304

- beaches*: Groundwater-level changes in a coastal dune, sea-level fluctuations and shoreline movement on a sandy beach
(Clarke, D. J., *et al.*) 77(3-4): 319-326

- Low-frequency changes of sediment volume on the beachface at Warilla Beach, New South Wales, 1975-1985
(Clarke, D. J., *et al.*) 79(3-4): 189-211

- Monsoon-induced seasonal variability of sheltered versus exposed beaches along the west coast of India
(Shenoi, S. S. C., *et al.*) 76(1-2): 117-130

- Preliminary field observations on beach cusp formation and characteristics on tidally and morphodynamically distinct beaches on the Nigerian coast
(Antia, E. E.) 78(1-2): 23-33

- Semi-diurnal variation in beachface aggradation and degradation
(Eliot, I. G., *et al.*) 79(1-2): 1-22

- Storminess and high tide beach change, Stanwell Park, Australia, 1943-1978
(Bryant, Edward) 79(3-4): 171-187

- The morphodynamic effects of incident wave groupiness and tide range on an energetic beach
(Wright, L. D., *et al.*) 74(1-2): 1-20

- deltas*: Late Quaternary stratigraphy and paleogeography of the eastern Nile Delta, Egypt
(Coutellier, Vincent, *et al.*) 77(3-4): 257-275

- mangrove swamps*: Mangroves and intertidal morphology in Westernport Bay, Victoria, Australia [discussion and reply]
(Spenceley, A. P., *et al.*) 77(3-4): 327-331

- terraces*: The terraces of Corinth (Greece); a detailed record of eustatic sea-level variations during the last 500,000 years
(Keraudren, Bertrand, *et al.*) 77(1-2): 99-107

geophysical methods—acoustical methods

- data processing*: Tectonic and geomorphic interpretation of the Ogasawara Plateau region by multibeam-based 3D methods
(Smoot, N. Christian, *et al.*) 79(1-2): 141-147

geophysical surveys *see* under Aegean Sea; Arctic Ocean; Atlantic Ocean; data processing; East China Sea; Indian Ocean; Japan Sea; Mediterranean Sea; North Sea; Pacific Ocean; Red Sea; *see* acoustical surveys under geophysical surveys under Arctic Ocean; Atlantic Ocean; data processing; Mediterranean Sea; North Sea; Pacific Ocean; *see* gravity surveys under geophysical surveys under Indian Ocean; *see* seismic surveys under geophysical surveys under Aegean Sea; Atlantic Ocean; East China Sea; Indian Ocean; Japan Sea; Mediterranean Sea; Pacific Ocean; Red Sea; *see* surveys under geophysical surveys under Aegean Sea; Atlantic Ocean; Indian Ocean; *see also* geophysical methods

- geophysics** *see also* deformation
- glacial geology** *see also* geomorphology
- gravity surveys** *see under* geophysical surveys *under* Indian Ocean
- Great Basin** *see also* the individual states
- Great Britain** *see also* England; Scotland
- Great Lakes—geomorphology**
processes: Nearshore bar formation by non-linear wave processes; a comparison of model results and field data (Boczar-Karakiewicz, Barbara, *et al.*) 77(3-4): 287-304
- Great Lakes region** *see also* the individual states and provinces
- Great Plains** *see also* the individual states and provinces
- Greece—oceanography**
continental margin: Sedimentation in the Zakynthos Channel; a conduit link to the Hellenic Trench, eastern Mediterranean (Cramp, A., *et al.*) 76(1-2): 71-87
sediments: The geology and geochemistry of the surficial sediments off Thraki, northern Greece (Perissoratis, C., *et al.*) 74(3-4): 209-224
- Greece—stratigraphy**
changes of level: The terraces of Corinth (Greece); a detailed record of eustatic sea-level variations during the last 500,000 years (Keraudren, Bertrand, *et al.*) 77(1-2): 99-107
Quaternary: The terraces of Corinth (Greece); a detailed record of eustatic sea-level variations during the last 500,000 years (Keraudren, Bertrand, *et al.*) 77(1-2): 99-107
- ground water** *see also* hydrology
- ground water—surveys**
Western Australia: Groundwater-level changes in a coastal dune, sea-level fluctuations and shoreline movement on a sandy beach (Clarke, D. J., *et al.*) 77(3-4): 319-326
- Gulf Coastal Plain** *see also* the individual states and countries
- Gulf Coastal Plain—oceanography**
continental margin: Sedimentological significance of strain and sonic velocity anisotropy in fine-grained turbiditic and hemipelagic deep-sea sediments; an example from the Mississippi Fan (Wetzel, Andreas) 74(3-4): 191-207
- Gulf of Mexico—geochemistry**
sea water: Sulfur and oxygen isotopic compositions of dissolved sulfate in the Orca Basin; implications for origin of the high-salinity brine and oxidation of sulfides at the brine-seawater interface (Sheu, Der-Duen, *et al.*) 78(3-4): 303-310
sulfur: Sulfur and organic carbon contents in sediment cores from the Tyro and Orca basins (Sheu, Der-Duen) 75(1-4): 157-164
- Gulf of Mexico—oceanography**
ocean circulation: Transport of mud on continental shelves; evidence from the Texas Shelf (Sahl, Lauren E., *et al.*) 76(1-2): 33-43
ocean floors: Sedimentological significance of strain and sonic velocity anisotropy in fine-grained turbiditic and hemipelagic deep-sea sediments; an example from the Mississippi Fan (Wetzel, Andreas) 74(3-4): 191-207
- Gulf of Mexico—stratigraphy**
Pleistocene: A Walsh spectral comparison of oxygen ($\delta^{18}\text{O}$) and carbon isotope ($\delta^{13}\text{C}$) variations of the Pleistocene bore hole (Eureka 67-135) from the Gulf of Mexico and their orbital significance (Tiwari, R. K.) 78(1-2): 167-174
- Hawaii—engineering geology**
geologic hazards: Storm-generated, episodic sediment movements off Kahe Point, Oahu, Hawaii (Tsutsui, Bruce, *et al.*) 76(3-4): 281-299
- heavy mineral deposits** *see also under* economic geology *under* India
- heavy minerals** *see under* provenance *under* sedimentation; *see also* placers
- Himalayas** *see also* the individual countries
- Holocene** *see also under* stratigraphy *under* Atlantic Ocean; Mediterranean Sea; Pacific Ocean
- hydrogeology** *see also* ground water; hydrology
- hydrology** *see also* ground water
- hydrology—surveys**
Lake Huron: Nearshore bar formation by non-linear wave processes; a comparison of model results and field data (Boczar-Karakiewicz, Barbara, *et al.*) 77(3-4): 287-304
- hydrothermal processes** *see under* processes *under* mineral deposits, genesis
- ice rafting** *see under* transport *under* sedimentation
- igneous rocks** *see also* lava
- igneous rocks—distribution**
intrusive rocks: Tertiary intrusives in western Skagerrak? (Hovland, Martin) 78(1-2): 175-182
- igneous rocks—volcanic rocks**
alkalic composition: Vavilov Seamount; a mildly alkaline Quaternary volcano in the Tyrrhenian Basin (Robin, C., *et al.*) 78(1-2): 125-136
- India—economic geology**
heavy mineral deposits: The black sand placer deposits of Kerala beach, Southwest India (Mallik, T. K., *et al.*) 77(1-2): 129-150
- India—geomorphology**
shore features: Monsoon-induced seasonal variability of sheltered versus exposed beaches along the west coast of India (Shenoi, S. S. C., *et al.*) 76(1-2): 117-130
- India—oceanography**
continental shelf: A study of some physical properties of sediments of the backwaters and the adjoining continental shelf off Cochin, India (Murty, G. R. K., *et al.*) 77(1-2): 121-128
 — Radiometric ages of phosphorites from the west coast of India (Borole, D. V., *et al.*) 78(1-2): 161-165
- Indian Ocean** *see also* Arabian Sea; Red Sea
- Indian Ocean—geophysical surveys**
gravity surveys: The Kerguelen-Heard aseismic ridge; geoid anomaly and isostatic compensation (Recq, Maurice, *et al.*) 76(3-4): 301-311
seismic surveys: Structure and evolution of the Kerguelen-Heard Plateau (Indian Ocean) deduced from seismic stratigraphic studies (Munsch, Marc, *et al.*) 76(1-2): 131-152
surveys: Geophysical and geological surveys along the northeastern flank of Mount Error, northwestern Indian

- Ocean
(Ramana, M. V., *et al.*) 76(1-2): 153-162
- Indian Ocean—oceanography**
- nodules*: Geochemistry of ferromanganese nodules from the Central Indian Basin
(Ahmad, S. M., *et al.*) 77(1-2): 165-170
- Mineralogy of polymetallic nodules and associated sediments from the central Indian Ocean basin
(Rao, V. Purnachandra) 74(1-2): 151-157
- ocean circulation*: Distribution patterns of rip frequency and intensity in Algoa Bay, South Africa
(Talbot, M. M. B., *et al.*) 76(3-4): 319-324
- The TiO_2/Al_2O_3 ratio in the Cenozoic Bengal abyssal fan sediments and its use as a paleostream energy indicator
(Schmitz, Birger) 76(3-4): 195-206
- ocean floors*: Geophysical and geological surveys along the northeastern flank of Mount Error, northwestern Indian Ocean
(Ramana, M. V., *et al.*) 76(1-2): 153-162
- The Kerguelen-Heard aseismic ridge; geoid anomaly and isostatic compensation
(Recq, Maurice, *et al.*) 76(3-4): 301-311
- The tectonic setting of the Seychelles, Mascarene and Amirante plateaus in the western equatorial Indian Ocean
(Mart, Yossi) 79(3-4): 261-274
- sedimentation*: Differential supply and longshore transport as determinants of sediment distribution on the north coast of Tasmania
(Davies, J. L., *et al.*) 77(3-4): 233-245
- sediments*: Retrospective dry bulk density estimates from Southeast Indian Ocean sediments; comparison of water loss and chloride-ion methods
(Clemens, Steven C., *et al.*) 76(1-2): 57-69
- Indian Ocean—seismology**
- earthquakes*: Strain deformation in the northern Indian Ocean
(Singh, D. D.) 79(1-2): 105-118
- Indian Ocean—stratigraphy**
- Cenozoic*: The TiO_2/Al_2O_3 ratio in the Cenozoic Bengal abyssal fan sediments and its use as a paleostream energy indicator
(Schmitz, Birger) 76(3-4): 195-206
- Indian Ocean—tectonophysics**
- crust*: Geophysical and geological surveys along the northeastern flank of Mount Error, northwestern Indian Ocean
(Ramana, M. V., *et al.*) 76(1-2): 153-162
- Strain deformation in the northern Indian Ocean
(Singh, D. D.) 79(1-2): 105-118
- The Kerguelen-Heard aseismic ridge; geoid anomaly and isostatic compensation
(Recq, Maurice, *et al.*) 76(3-4): 301-311
- The tectonic setting of the Seychelles, Mascarene and Amirante plateaus in the western equatorial Indian Ocean
(Mart, Yossi) 79(3-4): 261-274
- isostasy*: The Kerguelen-Heard aseismic ridge; geoid anomaly and isostatic compensation
(Recq, Maurice, *et al.*) 76(3-4): 301-311
- plate tectonics*: The tectonic setting of the Seychelles, Mascarene and Amirante plateaus in the western equatorial Indian Ocean
(Mart, Yossi) 79(3-4): 261-274
- sea-floor spreading*: Structure and evolution of the Kerguelen-Heard Plateau (Indian Ocean) deduced from seismic stratigraphic studies
(Munschy, Marc, *et al.*) 76(1-2): 131-152
- Indonesia—oceanography**
- continental margin*: Plankton percentage of the foraminiferal fauna in seafloor samples from the Australian-Irian Jaya continental margin, eastern Indonesia
(Van Marle, L. J., *et al.*) 77(1-2): 151-156
- ocean circulation*: Contourite sedimentation in an intraoceanic forearc system; eastern Sunda Arc, Indonesia
(Reed, Donald L., *et al.*) 76(3-4): 223-241
- Indonesia—stratigraphy**
- Quaternary*: Plankton percentage of the foraminiferal fauna in seafloor samples from the Australian-Irian Jaya continental margin, eastern Indonesia
(Van Marle, L. J., *et al.*) 77(1-2): 151-156
- instruments* *see under* marine geology; oceanography
- intrusions* *see also* igneous rocks
- Invertebrata* *see also* foraminifera
- invertebrates* *see also* foraminifers; ostracods; radiolarians
- Ireland—oceanography**
- continental slope*: Changes in mid-depth North Atlantic and Mediterranean circulation during the late Pliocene; isotopic and sedimentological evidence
(Loubere, Paul) 77(1-2): 15-38
- Late Pliocene variations in the carbon isotope values of North Atlantic benthic foraminifera; biotic control of the isotopic record?
(Loubere, Paul) 76(1-2): 45-56
- Mass-wasting features on the continental slope of Northwest Europe
(Kenyon, Neil H.) 74(1-2): 57-77
- sedimentation*: Bioerosion of intertidal limestone, Co. Clare, Eire; 1, *Paracentrotus lividus*
(Trudgill, Stephen T., *et al.*) 74(1-2): 85-98
- Bioerosion of intertidal limestone, Co. Clare, Eire; 2, *Hiatella arctica*
(Trudgill, Stephen T., *et al.*) 74(1-2): 99-109
- Bioerosion of intertidal limestone, Co. Clare, Eire; 3, Zonation, process and form
(Trudgill, Stephen T.) 74(1-2): 111-121
- isostasy* *see also under* tectonophysics *under* Indian Ocean
- isotope dating* *see* absolute age
- isotopes* *see also* absolute age; geochronology
- isotopes—carbon**
- C-13/C-12*: Late Pliocene variations in the carbon isotope values of North Atlantic benthic foraminifera; biotic control of the isotopic record?
(Loubere, Paul) 76(1-2): 45-56
- C-14/C-12*: Ocean ventilation during the last 12,000 years; hypothesis of counterpoint deep water production
(Berger, W. H.) 78(1-2): 1-10
- isotopes—foraminifers**
- planktonic taxa*: Carbon and oxygen isotope composition of *Globigerinoides ruber* in two deep-sea cores from the Levantine Basin (eastern Mediterranean)
(Parisi, Elisabetta) 75(1-4): 201-219
- Paleoenvironmental changes from stable isotopes in planktonic foraminifera from eastern Mediterranean sapropels
(Ganssen, Gerald, *et al.*) 75(1-4): 221-230

isotopes—oxygen

- O-18/O-16*: Changes in mid-depth North Atlantic and Mediterranean circulation during the late Pliocene; isotopic and sedimentological evidence
(Loubere, Paul) 77(1-2): 15-38

isotopes—sea water

- stable isotopes*: Sulfur and oxygen isotopic compositions of dissolved sulfate in the Orca Basin; implications for origin of the high-salinity brine and oxidation of sulfides at the brine-seawater interface
(Sheu, Der-Duen, *et al.*) 78(3-4): 303-310

isotopes—sediments

- marine sediments*: A Walsh spectral comparison of oxygen ($\delta^{18}\text{O}$) and carbon isotope ($\delta^{13}\text{C}$) variations of the Pleistocene bore hole (Eureka 67-135) from the Gulf of Mexico and their orbital significance
(Tiwari, R. K.) 78(1-2): 167-174

Israel—geomorphology

- processes*: Flow characteristics at the rip current neck under low energy conditions
(Bowman, D., *et al.*) 79(1-2): 41-54

Italy—oceanography

- sedimentation*: Recent deposits and suspended sediments off the Po della Pila (Po River, main mouth), Italy
(Boldrin, A., *et al.*) 79(3-4): 159-170

Japan Sea—geophysical surveys

- seismic surveys*: Depositional history of Quaternary sediments on the continental shelf off the southeastern coast of Korea (Korea Strait)
(Park, Soo C., *et al.*) 79(1-2): 65-75

Korea—oceanography

- continental shelf*: Depositional history of Quaternary sediments on the continental shelf off the southeastern coast of Korea (Korea Strait)
(Park, Soo C., *et al.*) 79(1-2): 65-75

Korea—stratigraphy

- changes of level*: Depositional history of Quaternary sediments on the continental shelf off the southeastern coast of Korea (Korea Strait)
(Park, Soo C., *et al.*) 79(1-2): 65-75
- Quaternary*: Depositional history of Quaternary sediments on the continental shelf off the southeastern coast of Korea (Korea Strait)
(Park, Soo C., *et al.*) 79(1-2): 65-75

Labrador—oceanography

- continental shelf*: Iceberg crater marks on the sea floor, Labrador Shelf
(Bass, D. W., *et al.*) 79(3-4): 243-260

lava see also igneous rocks**lava—distribution**

- lava flows*: Vavilov Seamount; a mildly alkaline Quaternary volcano in the Tyrrhenian Basin
(Robin, C., *et al.*) 78(1-2): 125-136

Lesser Antilles—sedimentary petrology

- sedimentation*: Turbidite to current-reworked sand continuum in Upper Cretaceous rocks, U.S. Virgin Islands
(Stanley, Daniel Jean) 78(1-2): 143-151

Lesser Antilles—stratigraphy

- Cretaceous*: Deep-sea current flow in the Late Cretaceous Caribbean; measurements on St. Croix, U.S. Virgin Islands
(Stanley, Daniel Jean) 79(1-2): 127-133

magmas see also igneous rocks; lava**marine geology see also oceanography****marine geology—data processing**

- shape analysis*: Computer characterization of aspects of grain-edge roughness using the scanning electron microscope
(Williams, A. T., *et al.*) 74(3-4): 291-294

marine geology—instruments

- samplers*: A device for obtaining representative samples from the sediment-water interface
(Murray, William G., *et al.*) 76(3-4): 313-317

marine geology—techniques

- granulometry*: Nonspherical sediment particles; comparison of size and volume distributions obtained with an optical and a resistive particle counter
(Jonasz, Mirosław) 78(1-2): 137-142
- photography*: Automated display and statistical analysis of interpreted deep-sea bottom photographs
(Fox, Christopher G., *et al.*) 78(3-4): 199-216
- sampling*: Advantages of light-weight kevlar rope for ocean bottom sampling with the piston corer and box corer
(Schilling, J., *et al.*) 79(1-2): 148-141

marine sediments see under sediments**Marshall Islands—oceanography**

- reefs*: Cobalt- and platinum-rich ferromanganese crusts and associated substrate rocks from the Marshall Islands
(Hein, James R., *et al.*) 78(3-4): 255-283

Mediterranean region see also the individual countries**Mediterranean region—structural geology**

- neotectonics*: Late Quaternary tectonic and sedimentary history of outer Izmir and Candarli bays, western Turkey
(Aksu, A. E., *et al.*) 76(1-2): 89-104

Mediterranean region—tectonophysics

- plate tectonics*: Structural evolution of the Tyrrhenian back-arc basin
(Rehault, J. P., *et al.*) 74(1-2): 123-150

Mediterranean Sea see also Adriatic Sea; Aegean Sea; Tyrrhenian Sea**Mediterranean Sea—geochemistry**

- diagenesis*: Interstitial water studies of late Quaternary eastern Mediterranean sediments with emphasis on early diagenetic reactions and evaporitic salt influences
(ten Haven, H. L., *et al.*) 75(1-4): 119-136
- organic materials*: Gelatinous pellicles in deep anoxic hypersaline basins from the eastern Mediterranean
(Erba, Elisabetta, *et al.*) 75(1-4): 165-183
- Late Quaternary Mediterranean sapropels; I, On the origin of organic matter in sapropel S₇
(ten Haven, H. L., *et al.*) 75(1-4): 137-156
- sulfur*: Sulfur and organic carbon contents in sediment cores from the Tyro and Orca basins
(Sheu, Der-Duen) 75(1-4): 157-164

Mediterranean Sea—geophysical surveys

- acoustical surveys*: Morphology from subaerial erosion of a Mediterranean seamount
(Barone, Angela M., *et al.*) 74(3-4): 159-172
- seismic surveys*: The geometry and rates of microplate motions in the eastern Mediterranean Sea; quantitative constraints by using anoxic basins as piercing points
(Jongsma, Derk) 75(1-4): 1-29

Mediterranean Sea—oceanography

ocean circulation: Flow characteristics at the rip current neck under low energy conditions
(Bowman, D., *et al.*) 79(1-2): 41-54

ocean floors: Morphology from subaerial erosion of a Mediterranean seamount

(Barone, Angela M., *et al.*) 74(3-4): 159-172

— Setting and tectonic evolution of some eastern Mediterranean deep-sea basins

(Camerlenghi, A., *et al.*) 75(1-4): 31-55

— The geometry and rates of microplate motions in the eastern Mediterranean Sea; quantitative constraints by using anoxic basins as piercing points

(Jongsma, Derk) 75(1-4): 1-29

sea water: Brine formation and gypsum precipitation in the Bannock Basin, eastern Mediterranean

(Corselli, C., *et al.*) 75(1-4): 185-199

sedimentation: Extant and ancient anoxic basin conditions in the eastern Mediterranean

(van Hinte, Jan E., *et al.*) 75(1-4): 1-281

— Late Quaternary stratigraphy and paleogeography of the eastern Nile Delta, Egypt

(Coutellier, Vincent, *et al.*) 77(3-4): 257-275

— Quartz grain surface textures and depositional interpretations, Nile Delta region, Egypt

(Frihy, Omran E., *et al.*) 77(3-4): 247-255

— Sedimentation in the Zakynthos Channel; a conduit link to the Hellenic Trench, eastern Mediterranean

(Cramp, A., *et al.*) 76(1-2): 71-87

sediments: Geotechnical properties and sedimentological processes of the Rhone continental margin

(Chassefiere, B., *et al.*) 74(3-4): 225-235

Mediterranean Sea—stratigraphy

Holocene: Late Quaternary sedimentation in the Tyro and Kretheus basins, southeast of Crete

(Troelstra, Simon R.) 75(1-4): 77-91

— Ostracodes and the early Holocene anoxic event in the eastern Mediterranean; evidence and implications

(van Harten, Dick) 75(1-4): 263-269

Pleistocene: Phenotypic variation of *Globorotalia scitula* (Foraminiferida) as a response to Pleistocene climatic fluctuations

(Baumfalk, Ynze A., *et al.*) 75(1-4): 231-240

Quaternary: Carbon and oxygen isotope composition of *Globigerinoides ruber* in two deep-sea cores from the Levantine Basin (eastern Mediterranean)

(Parisi, Elisabetta) 75(1-4): 201-219

— Paleoenvironmental changes from stable isotopes in planktonic foraminifera from eastern Mediterranean sapropels

(Ganssen, Gerald, *et al.*) 75(1-4): 221-230

— Radiolarian preservation in eastern Mediterranean anoxic sediments

(Bjorklund, Kjell R., *et al.*) 75(1-4): 271-281

— Response of benthic foraminifera to stagnant episodes; a quantitative study of core BAN 81-23, eastern Mediterranean

(Oggioni, Elisabetta, *et al.*) 75(1-4): 241-261

— Stratigraphy and sedimentation in the anoxic Bannock Basin (eastern Mediterranean)

(Parisi, Elisabetta, *et al.*) 75(1-4): 93-117

— Stratigraphy and sedimentation in the western Strabo Trench, eastern Mediterranean
(Erba, Elisabetta, *et al.*) 75(1-4): 57-75

Mediterranean Sea—structural geology

neotectonics: Setting and tectonic evolution of some eastern Mediterranean deep-sea basins

(Camerlenghi, A., *et al.*) 75(1-4): 31-55

Mediterranean Sea—tectonophysics

plate tectonics: The geometry and rates of microplate motions in the eastern Mediterranean Sea; quantitative constraints by using anoxic basins as piercing points

(Jongsma, Derk) 75(1-4): 1-29

Mesozoic *see also* Cretaceous

metals—geochemistry

chemically precipitated rocks: Cobalt- and platinum-rich ferromanganese crusts and associated substrate rocks from the Marshall Islands

(Hein, James R., *et al.*) 78(3-4): 255-283

marine sediments: Hydrothermal metallogenesis at the Wilkes fracture zone—East Pacific Rise intersection

(Varnavas, S. P.) 79(1-2): 77-104

— The geology and geochemistry of the surficial sediments off Thraki, northern Greece

(Perissoratis, C., *et al.*) 74(3-4): 209-224

metamorphic rocks *see also* igneous rocks

metasomatic rocks *see also* igneous rocks

meteorology—winds

seasonal variations: Low-frequency variation in the seasonal intensity of coastal weather systems and sediment movement on the beachface of a sandy beach

(Clarke, D. J., *et al.*) 79(1-2): 23-39

Mexico *see also* Gulf Coastal Plain

Micronesia *see also* Marshall Islands

Middle East *see also* Israel; Turkey

mineral deposits, genesis—processes

exhalative processes: Hydrothermal sulfides from a submarine caldera in the Shichito-Iwojima Ridge, northwestern Pacific

(Urabe, T., *et al.*) 74(3-4): 295-299

hydrothermal processes: Hydrothermal metallogenesis at the Wilkes fracture zone—East Pacific Rise intersection

(Varnavas, S. P.) 79(1-2): 77-104

mineral resources *see also* the individual deposits

minerals *see also* crystal growth

minerals—oxides

occurrence: The chemistry and mineralogy of ferromanganese encrustations on rocks from the Sierra Leone Rise, equatorial Mid-Atlantic Ridge and New England seamount chain

(Goddard, D. A., *et al.*) 77(1-2): 87-98

todorokite: Mineralogy of polymetallic nodules and associated sediments from the central Indian Ocean basin

(Rao, V. Purnachandra) 74(1-2): 151-157

Miocene *see also* under stratigraphy under Atlantic Ocean

miospores *see* under palynomorphs

mud volcanoes *see also* volcanology

Namibia—oceanography

continental shelf: Variability of Holocene diatom assemblages in laminated sediments near Walvis Bay, Southwest Africa
(Pokras, Edward M., *et al.*) 76(3-4): 185-194

Namibia—stratigraphy

- changes of level:* Plio-Pleistocene sedimentation on the Walvis Ridge, Southeast Atlantic (DSDP Leg 75, Site 532); influence of surface currents, carbonate dissolution and climate
(Diester-Haass, L., *et al.*) 77(1-2): 53-85

nannofossils *see under* algal flora

neotectonics *see also under* structural geology *under* Mediterranean region; Mediterranean Sea

New Jersey—geomorphology

- changes of level:* Late Pleistocene drainage systems beneath Delaware Bay
(Knebel, Harley J., *et al.*) 78(3-4): 285-302

New Jersey—oceanography

- continental shelf:* Late Pleistocene drainage systems beneath Delaware Bay
(Knebel, Harley J., *et al.*) 78(3-4): 285-302

New South Wales—engineering geology

- shorelines:* Low-frequency changes of sediment volume on the beachface at Warilla Beach, New South Wales, 1975-1985
(Clarke, D. J., *et al.*) 79(3-4): 189-211
— Storminess and high tide beach change, Stanwell Park, Australia, 1943-1978
(Bryant, Edward) 79(3-4): 171-187

New South Wales—geomorphology

- processes:* Low-frequency variation in the seasonal intensity of coastal weather systems and sediment movement on the beachface of a sandy beach
(Clarke, D. J., *et al.*) 79(1-2): 23-39
shore features: Semi-diurnal variation in beachface aggradation and degradation
(Eliot, I. G., *et al.*) 79(1-2): 1-22
— The morphodynamic effects of incident wave groupiness and tide range on an energetic beach
(Wright, L. D., *et al.*) 74(1-2): 1-20

New South Wales—oceanography

- ocean waves:* Storminess and high tide beach change, Stanwell Park, Australia, 1943-1978
(Bryant, Edward) 79(3-4): 171-187

New York—geomorphology

- processes:* The interrelation and distinction between flood-tidal delta and washover deposits in a transgressive barrier island
(Hennessy, John T., *et al.*) 78(1-2): 35-56

New Zealand—oceanography

- ocean circulation:* Circulation and sedimentation of suspended particulate matter in New Zealand fjords
(Pickrill, R. A.) 74(1-2): 21-39

New Zealand—stratigraphy

- Quaternary:* Late Quaternary development of left-bank-dominant levees in the Bounty Trough, New Zealand
(Carter, L., *et al.*) 78(3-4): 185-197

Newfoundland—oceanography

- continental margin:* Late Quaternary plume, nepheloid and turbidite sedimentation and effect of the Gulf Stream near the tail of the Grand Banks, Newfoundland
(Alam, Mahmood) 74(3-4): 277-290

Nigeria—geomorphology

- shore features:* Preliminary field observations on beach cusp formation and characteristics on tidally and morphodynamically distinct beaches on the Nigerian coast
(Antia, E. E.) 78(1-2): 23-33

nodules—age

- absolute age:* Radiometric ages of phosphorites from the west coast of India
(Borole, D. V., *et al.*) 78(1-2): 161-165

nodules—composition

- mineral composition:* Mineralogy of polymetallic nodules and associated sediments from the central Indian Ocean basin
(Rao, V. Purnachandra) 74(1-2): 151-157

nodules—ferromanganese composition

- geochemistry:* Geochemistry of ferromanganese nodules from the Central Indian Basin
(Ahmad, S. M., *et al.*) 77(1-2): 165-170
observations: Characteristics of Co-Rich ferromanganese nodules and crusts sampled in French Polynesia
(Pichocki, Claude, *et al.*) 77(1-2): 109-119

nodules—manganese composition

- observations:* Local variability of manganese nodule facies on small abyssal hills of the central Pacific Basin
(Usui, Akira, *et al.*) 74(3-4): 237-275
— Seismic, bathymetric and photographic evidence of widespread erosion and a manganese-nodule pavement along the continental rise of the Southeast Cape Basin
(Rogers, J.) 78(1-2): 57-76

North America *see also* Atlantic Coastal Plain; Great Lakes; Gulf Coastal Plain

North Carolina—oceanography

- continental shelf:* Evolution of the Cape Fear Terrace; a complex interaction between the Gulf Stream and a paleo-shelf edge delta
(Matteucci, Thomas D., *et al.*) 77(3-4): 185-205
— The impact of Hurricane Diana on the North Carolina continental shelf
(Vaughan, Nancy D., *et al.*) 76(1-2): 169-176

North Carolina—stratigraphy

- changes of level:* Evolution of the Cape Fear Terrace; a complex interaction between the Gulf Stream and a paleo-shelf edge delta
(Matteucci, Thomas D., *et al.*) 77(3-4): 185-205

North Sea—geophysical surveys

- acoustical surveys:* Tertiary intrusives in western Skagerrak?
(Hovland, Martin) 78(1-2): 175-182

North Sea—oceanography

- ocean circulation:* Indication of long term episodic suspension transport of sand across the Norfolk Banks, North Sea
(Stride, A. H.) 79(1-2): 55-64
ocean floors: Tertiary intrusives in western Skagerrak?
(Hovland, Martin) 78(1-2): 175-182

Northern Hemisphere *see also* Arctic Ocean; Atlantic Ocean; Europe; Pacific Ocean

Norway—oceanography

- continental margin:* Tertiary intrusives in western Skagerrak?
(Hovland, Martin) 78(1-2): 175-182
continental slope: Large submarine slides on the Norwegian continental margin; sediments, transport and timing
(Jansen, Eystein, *et al.*) 78(1-2): 77-107

- Mass-wasting features on the continental slope of North-west Europe
(Kenyon, Neil H.) 74(1-2): 57-77
- Nova Scotia—oceanography**
continental slope: Proglacial sediment instability features on the Scotian Slope at 63°W
(Piper, David J. W., *et al.*) 76(1-2): 15-31
- ocean circulation** *see also under oceanography under Atlantic Ocean; Gulf of Mexico; Indian Ocean; Indonesia; Mediterranean Sea; New Zealand; North Sea; Pacific Ocean; South Africa; South China Sea*
- ocean circulation—boundary layer**
sedimentation: Theoretical modelling of deep ocean sediment transport [discussion and reply]
(Pantin, H. M., *et al.*) 76(1-2): 163-167
- ocean circulation—ocean currents**
bottom currents: Ocean ventilation during the last 12,000 years; hypothesis of counterpoint deep water production
(Berger, W. H.) 78(1-2): 1-10
- ocean circulation—tides**
effects: The morphodynamic effects of incident wave groupiness and tide range on an energetic beach
(Wright, L. D., *et al.*) 74(1-2): 1-20
- ocean floors** *see also under oceanography under Antarctic Ocean; Atlantic Ocean; data processing; Gulf of Mexico; Indian Ocean; Mediterranean Sea; North Sea; Pacific Ocean; Red Sea; Tyrrhenian Sea*
- ocean floors—bottom features**
ripple marks: Theoretical modelling of deep ocean sediment transport [discussion and reply]
(Pantin, H. M., *et al.*) 76(1-2): 163-167
- ocean waves** *see also under oceanography under New South Wales*
- ocean waves—effects**
beaches: A simple model of beach foreshore response to long-period waves
(Howd, P. A., *et al.*) 78(1-2): 11-22
— The morphodynamic effects of incident wave groupiness and tide range on an energetic beach
(Wright, L. D., *et al.*) 74(1-2): 1-20
- oceanography—instruments**
samplers: A device for obtaining representative samples from the sediment-water interface
(Murray, William G., *et al.*) 76(3-4): 313-317
- oceanography—sea ice**
erosion: Ice erosion of a sea-floor knickpoint at the inner edge of the stamukhi zone, Beaufort Sea, Alaska
(Barnes, Peter W., *et al.*) 76(3-4): 207-222
observations: Field observations of slush ice generated during freeze-up in Arctic coastal waters
(Reimnitz, Erk, *et al.*) 77(3-4): 219-231
- oceanography—techniques**
granulometry: Nonspherical sediment particles; comparison of size and volume distributions obtained with an optical and a resistive particle counter
(Jonasz, Mirosław) 78(1-2): 137-142
photography: Automated display and statistical analysis of interpreted deep-sea bottom photographs
(Fox, Christopher G., *et al.*) 78(3-4): 199-216
sampling: Advantages of light-weight kevlar rope for ocean bottom sampling with the piston corer and box corer
(Schilling, J., *et al.*) 79(1-2): 148-141
- Oligocene** *see also under stratigraphy under Atlantic Ocean*
- Ontario—geomorphology**
shore features: Nearshore bar formation by non-linear wave processes; a comparison of model results and field data
(Boczar-Karakiewicz, Barbara, *et al.*) 77(3-4): 287-304
- ooze** *see under marine sediments under sediments*
- organic materials—genesis**
sapropel: Late Quaternary Mediterranean sapropels; I, On the origin of organic matter in sapropel S₇
(ten Haven, H. L., *et al.*) 75(1-4): 137-156
- organic materials—geochemistry**
isotopes: Paleoenvironmental changes from stable isotopes in planktonic foraminifera from eastern Mediterranean sapropels
(Ganssen, Gerald, *et al.*) 75(1-4): 221-230
marine sediments: Gelatinous pellicles in deep anoxic hypersaline basins from the eastern Mediterranean
(Erba, Elisabetta, *et al.*) 75(1-4): 165-183
— Stratigraphy and sedimentation in the anoxic Bannock Basin (eastern Mediterranean)
(Parisi, Elisabetta, *et al.*) 75(1-4): 93-117
— Sulfur and organic carbon contents in sediment cores from the Tyro and Orca basins
(Sheu, Der-Duen) 75(1-4): 157-164
- Ostracoda** *see also ostracods*
- ostracods—paleoecology**
Holocene: Ostracodes and the early Holocene anoxic event in the eastern Mediterranean; evidence and implications
(van Harten, Dick) 75(1-4): 263-269
- oxides** *see under minerals*
- oxygen— isotopes**
O-18/O-16: A Walsh spectral comparison of oxygen ($\delta^{18}\text{O}$) and carbon isotope ($\delta^{13}\text{C}$) variations of the Pleistocene bore hole (Eureka 67-135) from the Gulf of Mexico and their orbital significance
(Tiwari, R. K.) 78(1-2): 167-174
— Carbon and oxygen isotope composition of Globigerinoides ruber in two deep-sea cores from the Levantine Basin (eastern Mediterranean)
(Parisi, Elisabetta) 75(1-4): 201-219
— Changes in mid-depth North Atlantic and Mediterranean circulation during the late Pliocene; isotopic and sedimentological evidence
(Loubere, Paul) 77(1-2): 15-38
— Paleoenvironmental changes from stable isotopes in planktonic foraminifera from eastern Mediterranean sapropels
(Ganssen, Gerald, *et al.*) 75(1-4): 221-230
— Sulfur and oxygen isotopic compositions of dissolved sulfate in the Orca Basin; implications for origin of the high-salinity brine and oxidation of sulfides at the brine-seawater interface
(Sheu, Der-Duen, *et al.*) 78(3-4): 303-310
- Pacific Coast** *see also the individual states and provinces*
- Pacific Ocean** *see also Bering Sea; Japan Sea; Polynesia; South China Sea*
- Pacific Ocean—geochemistry**
chemically precipitated rocks: Cobalt- and platinum-rich ferromanganese crusts and associated substrate rocks from the Marshall Islands
(Hein, James R., *et al.*) 78(3-4): 255-283

Pacific Ocean—geophysical surveys

- acoustical surveys*: Storm-generated, episodic sediment movements off Kahe Point, Oahu, Hawaii
(Tsutsui, Bruce, *et al.*) 76(3-4): 281-299
- Tectonic and geomorphic interpretation of the Ogasawara Plateau region by multibeam-based 3D methods
(Smoot, N. Christian, *et al.*) 79(1-2): 141-147
- seismic surveys*: Contourite sedimentation in an intraoceanic forearc system; eastern Sunda Arc, Indonesia
(Reed, Donald L., *et al.*) 76(3-4): 223-241
- Seafloor gas seeps triggered by a Northern California earthquake
(Field, Michael E., *et al.*) 77(1-2): 39-51

Pacific Ocean—oceanography

- nodules*: Characteristics of Co-Rich ferromanganese nodules and crusts sampled in French Polynesia
(Pichocki, Claude, *et al.*) 77(1-2): 109-119
- Local variability of manganese nodule facies on small abyssal hills of the central Pacific Basin
(Usui, Akira, *et al.*) 74(3-4): 237-275
- ocean circulation*: Late Quaternary development of left-bank-dominant levees in the Bounty Trough, New Zealand
(Carter, L., *et al.*) 78(3-4): 185-197
- Ocean ventilation during the last 12,000 years; hypothesis of counterpoint deep water production
(Berger, W. H.) 78(1-2): 1-10
- Periodic events of bottom transport of Peru Basin sediment during the late Quaternary
(Mangini, A., *et al.*) 76(3-4): 325-329
- Plankton percentage of the foraminiferal fauna in seafloor samples from the Australian-Irian Jaya continental margin, eastern Indonesia
(Van Marle, L. J., *et al.*) 77(1-2): 151-156
- ocean floors*: Age determinations of eastern Pacific seamounts (Henderson, 6 and 7); implications for near-ridge and intraplate volcanism
(Honda, M., *et al.*) 74(1-2): 79-84
- Automated display and statistical analysis of interpreted deep-sea bottom photographs
(Fox, Christopher G., *et al.*) 78(3-4): 199-216
- Hydrothermal sulfides from a submarine caldera in the Shichito-Iwojima Ridge, northwestern Pacific
(Urabe, T., *et al.*) 74(3-4): 295-299
- Late Quaternary development of left-bank-dominant levees in the Bounty Trough, New Zealand
(Carter, L., *et al.*) 78(3-4): 185-197
- Tectonic and geomorphic interpretation of the Ogasawara Plateau region by multibeam-based 3D methods
(Smoot, N. Christian, *et al.*) 79(1-2): 141-147
- sedimentation*: Particle-size distributions within hydrothermal plumes over the Juan de Fuca Ridge
(Walker, Sharon L., *et al.*) 78(3-4): 217-226
- sediments*: El Nino in Santa Barbara Basin; diatom, radiolarian and foraminiferan responses to the "1983 El Nino" event
(Lange, C. B., *et al.*) 78(1-2): 153-160
- Hydrothermal metallogenesis at the Wilkes fracture zone—East Pacific Rise intersection
(Varnavas, S. P.) 79(1-2): 77-104
- The chemistry and mineralogy of haloed burrows in pelagic sediment at DOMES Site A; the equatorial North

Pacific

- (Piper, D. Z., *et al.*) 74(1-2): 41-55

Pacific Ocean—stratigraphy

- Holocene*: Late Holocene sea levels and coral reef development in Vahitahi Atoll, eastern Tuamotu Islands, Pacific Ocean
(Pirazzoli, Paolo Antonio, *et al.*) 76(1-2): 105-116
- Quaternary*: Periodic events of bottom transport of Peru Basin sediment during the late Quaternary
(Mangini, A., *et al.*) 76(3-4): 325-329

Pacific Ocean—tectonophysics

- sea-floor spreading*: Sediments from a hydrothermal field in the central valley of the Galapagos Rift spreading center
(Marchig, V., *et al.*) 76(3-4): 243-251

Pacific region see also the individual countries**paleoclimatology—Holocene**

- Mediterranean Sea*: Ostracodes and the early Holocene anoxic event in the eastern Mediterranean; evidence and implications
(van Harten, Dick) 75(1-4): 263-269
- Namibia*: Variability of Holocene diatom assemblages in laminated sediments near Walvis Bay, Southwest Africa
(Pokras, Edward M., *et al.*) 76(3-4): 185-194

paleoclimatology—Neogene

- Antarctic Ocean*: Regional late Pliocene-early Pleistocene hiatuses of the Southern Ocean; diatom evidence
(Burckle, Lloyd H., *et al.*) 77(3-4): 207-218

paleoclimatology—Pleistocene

- Atlantic Ocean*: Plio-Pleistocene sedimentation on the Walvis Ridge, Southeast Atlantic (DSDP Leg 75, Site 532); influence of surface currents, carbonate dissolution and climate
(Diester-Haass, L., *et al.*) 77(1-2): 53-85
- Gulf of Mexico*: A Walsh spectral comparison of oxygen ($\delta^{18}\text{O}$) and carbon isotope ($\delta^{13}\text{C}$) variations of the Pleistocene bore hole (Eureka 67-135) from the Gulf of Mexico and their orbital significance
(Tiwari, R. K.) 78(1-2): 167-174
- Mediterranean Sea*: Phenotypic variation of *Globorotalia scitula* (Foraminiferida) as a response to Pleistocene climatic fluctuations
(Baumfalk, Ynze A., *et al.*) 75(1-4): 231-240

paleoclimatology—Pliocene

- Atlantic Ocean*: Changes in mid-depth North Atlantic and Mediterranean circulation during the late Pliocene; isotopic and sedimentological evidence
(Loubere, Paul) 77(1-2): 15-38
- Plio-Pleistocene sedimentation on the Walvis Ridge, Southeast Atlantic (DSDP Leg 75, Site 532); influence of surface currents, carbonate dissolution and climate
(Diester-Haass, L., *et al.*) 77(1-2): 53-85
- England*: Subtropical microfossil indicators from the late Pliocene Celtic Sea
(Houghton, S. D., *et al.*) 79(1-2): 119-126

paleoclimatology—Quaternary

- Egypt*: Quartz grain surface textures and depositional interpretations, Nile Delta region, Egypt
(Frihy, Omran E., *et al.*) 77(3-4): 247-255
- Mediterranean Sea*: Carbon and oxygen isotope composition of *Globigerinoides ruber* in two deep-sea cores from the Levantine Basin (eastern Mediterranean)
(Parisi, Elisabetta) 75(1-4): 201-219

- Paleoenvironmental changes from stable isotopes in planktonic foraminifera from eastern Mediterranean sapropels
(Ganssen, Gerald, *et al.*) 75(1-4): 221-230
- Response of benthic foraminifera to stagnant episodes; a quantitative study of core BAN 81-23, eastern Mediterranean
(Oggioni, Elisabetta, *et al.*) 75(1-4): 241-261
- New Zealand:** Late Quaternary development of left-bank-dominant levees in the Bounty Trough, New Zealand
(Carter, L., *et al.*) 78(3-4): 185-197
- Pacific Ocean:** Periodic events of bottom transport of Peru Basin sediment during the late Quaternary
(Mangini, A., *et al.*) 76(3-4): 325-329
- paleoclimatology—Tertiary**
Atlantic Ocean: Sea level changes, carbonate dissolution and history of the Benguela Current in the Oligocene-Miocene off Southwest Africa (DSDP Site 362, Leg 40)
(Diester-Haass, L.) 79(3-4): 213-242
- paleoecology—foraminifera**
Pleistocene: Phenotypic variation of *Globorotalia scitula* (Foraminiferida) as a response to Pleistocene climatic fluctuations
(Baumfalk, Ynze A., *et al.*) 75(1-4): 231-240
- paleoecology—foraminifers**
Pliocene: Changes in mid-depth North Atlantic and Mediterranean circulation during the late Pliocene; isotopic and sedimentological evidence
(Loubere, Paul) 77(1-2): 15-38
- Quaternary:** Plankton percentage of the foraminiferal fauna in seafloor samples from the Australian-Irian Jaya continental margin, eastern Indonesia
(Van Marle, L. J., *et al.*) 77(1-2): 151-156
- paleoecology—Holocene**
Namibia: Variability of Holocene diatom assemblages in laminated sediments near Walvis Bay, Southwest Africa
(Pokras, Edward M., *et al.*) 76(3-4): 185-194
- paleoecology—ostracods**
Holocene: Ostracodes and the early Holocene anoxic event in the eastern Mediterranean; evidence and implications
(van Harten, Dick) 75(1-4): 263-269
- paleoecology—Pliocene**
England: Subtropical microfossil indicators from the late Pliocene Celtic Sea
(Houghton, S. D., *et al.*) 79(1-2): 119-126
- paleogeography—Pleistocene**
Atlantic Coastal Plain: Late Pleistocene drainage systems beneath Delaware Bay
(Knebel, Harley J., *et al.*) 78(3-4): 285-302
- paleogeography—Quaternary**
Atlantic Coastal Plain: Evolution of the Cape Fear Terrace; a complex interaction between the Gulf Stream and a paleo-shelf edge delta
(Matteucci, Thomas D., *et al.*) 77(3-4): 185-205
- Egypt:** Late Quaternary stratigraphy and paleogeography of the eastern Nile Delta, Egypt
(Coutellier, Vincent, *et al.*) 77(3-4): 257-275
- Turkey:** Late Quaternary tectonic and sedimentary history of outer Izmir and Candarli bays, western Turkey
(Aksu, A. E., *et al.*) 76(1-2): 89-104
- paleomagnetism** *see under* geochronology
- palynomorphs—miospores**
Holocene: Late Quaternary sedimentation in the Tyro and Kretheus basins, southeast of Crete
(Troelstra, Simon R.) 75(1-4): 77-91
- Peru—oceanography**
continental margin: Periodic events of bottom transport of Peru Basin sediment during the late Quaternary
(Mangini, A., *et al.*) 76(3-4): 325-329
- Phanerozoic** *see also* Cretaceous
- physical geography** *see* geomorphology
- placers—heavy mineral deposits**
India: The black sand placer deposits of Kerala beach, Southwest India
(Mallik, T. K., *et al.*) 77(1-2): 129-150
- Plantae** *see also* algal flora; palynomorphs
- plate tectonics** *see also under* tectonophysics *under* Indian Ocean; Mediterranean region; Mediterranean Sea
- platinum—geochemistry**
chemically precipitated rocks: Cobalt- and platinum-rich ferromanganese crusts and associated substrate rocks from the Marshall Islands
(Hein, James R., *et al.*) 78(3-4): 255-283
- Pleistocene** *see also under* stratigraphy *under* Antarctic Ocean; Atlantic Ocean; Gulf of Mexico; Mediterranean Sea
- Pliocene** *see also under* stratigraphy *under* Antarctic Ocean; Atlantic Ocean; England
- Polynesia—oceanography**
nodules: Characteristics of Co-rich ferromanganese nodules and crusts sampled in French Polynesia
(Pichocki, Claude, *et al.*) 77(1-2): 109-119
- reefs:** Late Holocene sea levels and coral reef development in Vahitahi Atoll, eastern Tuamotu Islands, Pacific Ocean
(Pirazzoli, Paolo Antonio, *et al.*) 76(1-2): 105-116
- Polynesia—stratigraphy**
changes of level: Late Holocene sea levels and coral reef development in Vahitahi Atoll, eastern Tuamotu Islands, Pacific Ocean
(Pirazzoli, Paolo Antonio, *et al.*) 76(1-2): 105-116
- Pyrenees** *see also* France
- Quaternary** *see also under* geochronology *under* Arabian Sea; *see also under* stratigraphy *under* Atlantic Coastal Plain; Atlantic Ocean; Egypt; Greece; Indonesia; Korea; Mediterranean Sea; New Zealand; Pacific Ocean; Turkey
- radioactive dating** *see* absolute age
- radiocarbon dating** *see* absolute age
- radiolarians—biostratigraphy**
Holocene: Late Quaternary sedimentation in the Tyro and Kretheus basins, southeast of Crete
(Troelstra, Simon R.) 75(1-4): 77-91
- Quaternary:** Radiolarian preservation in eastern Mediterranean anoxic sediments
(Bjorklund, Kjell R., *et al.*) 75(1-4): 271-281
- radiolarians—ecology**
marine environment: El Nino in Santa Barbara Basin; diatom, radiolarian and foraminiferan responses to the "1983 El Nino" event
(Lange, C. B., *et al.*) 78(1-2): 153-160

rare earths—geochemistry

trace elements: Cobalt- and platinum-rich ferromanganese crusts and associated substrate rocks from the Marshall Islands

(Hein, James R., *et al.*) 78(3-4): 255-283

— Sediments from a hydrothermal field in the central valley of the Galapagos Rift spreading center

(Marchig, V., *et al.*) 76(3-4): 243-251

— The chemistry and mineralogy of haloed burrows in pelagic sediment at DOMES Site A; the equatorial North Pacific

(Piper, D. Z., *et al.*) 74(1-2): 41-55

— Vavilov Seamount; a mildly alkaline Quaternary volcano in the Tyrrhenian Basin

(Robin, C., *et al.*) 78(1-2): 125-136

Red Sea—geophysical surveys

seismic surveys: Post-Miocene rifting and diapirism in the northern Red Sea

(Mart, Yossi, *et al.*) 74(3-4): 173-190

Red Sea—oceanography

ocean floors: Post-Miocene rifting and diapirism in the northern Red Sea

(Mart, Yossi, *et al.*) 74(3-4): 173-190

reefs *see also under oceanography under* Marshall Islands; Polynesia

regional geology *see areal geology under the appropriate area term*

remote sensing *see also geophysical methods*

rock mechanics *see also soil mechanics*

Rocky Mountains *see also the individual states and provinces*

Sahara *see also the individual countries*

Scotland—oceanography

continental slope: Mass-wasting features on the continental slope of Northwest Europe

(Kenyon, Neil H.) 74(1-2): 57-77

sea-floor spreading *see also under tectonophysics under* Indian Ocean; Pacific Ocean

Sea of Japan *see Japan Sea*

sea water—composition

particulate materials: Particle-size distributions within hydrothermal plumes over the Juan de Fuca Ridge

(Walker, Sharon L., *et al.*) 78(3-4): 217-226

suspended materials: Surface current patterns suggested by suspended sediment distribution over the outer continental margin, Bering Sea

(Karl, Herman A., *et al.*) 74(3-4): 301-308

sea water—geochemistry

brines: Brine formation and gypsum precipitation in the Bannock Basin, eastern Mediterranean

(Corselli, C., *et al.*) 75(1-4): 185-199

isotopes: Sulfur and oxygen isotopic compositions of dissolved sulfate in the Orca Basin; implications for origin of the high-salinity brine and oxidation of sulfides at the brine-seawater interface

(Sheu, Der-Duen, *et al.*) 78(3-4): 303-310

sedimentary petrology—data processing

shape analysis: Computer characterization of aspects of grain-edge roughness using the scanning electron microscope

(Williams, A. T., *et al.*) 74(3-4): 291-294

sedimentary petrology—techniques

granulometry: Nonspherical sediment particles; comparison of size and volume distributions obtained with an optical and a resistive particle counter

(Jonasz, Mirosław) 78(1-2): 137-142

sedimentary rocks *see also sedimentary structures; sedimentation; sediments*

sedimentary rocks—chemically precipitated rocks

composition: Characteristics of Co-rich ferromanganese nodules and crusts sampled in French Polynesia

(Pichocki, Claude, *et al.*) 77(1-2): 109-119

— Cobalt- and platinum-rich ferromanganese crusts and associated substrate rocks from the Marshall Islands

(Hein, James R., *et al.*) 78(3-4): 255-283

geochemistry: The chemistry and mineralogy of ferromanganese encrustations on rocks from the Sierra Leone Rise, equatorial Mid-Atlantic Ridge and New England seamount chain

(Goddard, D. A., *et al.*) 77(1-2): 87-98

phosphate rocks: Radiometric ages of phosphorites from the west coast of India

(Borole, D. V., *et al.*) 78(1-2): 161-165

sedimentary rocks—clastic rocks

turbidite: Turbidite to current-reworked sand continuum in Upper Cretaceous rocks, U.S. Virgin Islands

(Stanley, Daniel Jean) 78(1-2): 143-151

sedimentary rocks—environmental analysis

deep-sea environment: Deep-sea current flow in the Late Cretaceous Caribbean; measurements on St. Croix, U.S. Virgin Islands

(Stanley, Daniel Jean) 79(1-2): 127-133

pelagic environment: Bed-scale cyclicity of pelagic Cretaceous successions as a result of world-wide control

(Cotillon, Pierre) 78(1-2): 109-123

sedimentary structures *see also sedimentary rocks; sediments*

sedimentary structures—bedding plane irregularities

dune structures: Evolution of deep-water climbing dunes in the Rockall Trough; implications for overflow currents across the Wyville-Thomson Ridge in the (?) late Miocene

(Richards, Philip C., *et al.*) 76(3-4): 177-183

sedimentary structures—biogenic structures

burrows: The chemistry and mineralogy of haloed burrows in pelagic sediment at DOMES Site A; the equatorial North Pacific

(Piper, D. Z., *et al.*) 74(1-2): 41-55

sedimentary structures—environmental analysis

deep-sea environment: Deep-sea current flow in the Late Cretaceous Caribbean; measurements on St. Croix, U.S. Virgin Islands

(Stanley, Daniel Jean) 79(1-2): 127-133

intertidal environment: The interrelation and distinction between flood-tidal delta and washover deposits in a transgressive barrier island

(Hennessy, John T., *et al.*) 78(1-2): 35-56

storm environment: The impact of Hurricane Diana on the North Carolina continental shelf

(Vaughan, Nancy D., *et al.*) 76(1-2): 169-176

sedimentary structures—planar bedding structures

- varves*: Variability of Holocene diatom assemblages in laminated sediments near Walvis Bay, Southwest Africa (Pokras, Edward M., *et al.*) 76(3-4): 185-194

sedimentation—controls

- tectonic controls*: Setting and tectonic evolution of some eastern Mediterranean deep-sea basins (Camerlenghi, A., *et al.*) 75(1-4): 31-55
 — The geometry and rates of microplate motions in the eastern Mediterranean Sea; quantitative constraints by using anoxic basins as piercing points (Jongsma, Derk) 75(1-4): 1-29

sedimentation—cyclic processes

- deep-sea sedimentation*: Periodic events of bottom transport of Peru Basin sediment during the late Quaternary (Mangini, A., *et al.*) 76(3-4): 325-329
glaciomarine sedimentation: Late Quaternary development of left-bank-dominant levees in the Bounty Trough, New Zealand (Carter, L., *et al.*) 78(3-4): 185-197

- marine sedimentation*: Plio-Pleistocene sedimentation on the Walvis Ridge, Southeast Atlantic (DSDP Leg 75, Site 532); influence of surface currents, carbonate dissolution and climate (Diester-Haass, L., *et al.*) 77(1-2): 53-85

- Storm-generated, episodic sediment movements off Kahe Point, Oahu, Hawaii (Tsutsui, Bruce, *et al.*) 76(3-4): 281-299

- pelagic sedimentation*: Bed-scale cyclicity of pelagic Cretaceous successions as a result of world-wide control (Cotillon, Pierre) 78(1-2): 109-123

- Pelagic sedimentation on an inactive gullied slope, Northwest Providence Channel, Bahamas (Burns, Stephen J., *et al.*) 77(3-4): 277-286

sedimentation—environment

- anaerobic environment*: Extant and ancient anoxic basin conditions in the eastern Mediterranean (van Hinte, Jan E., *et al.*) 75(1-4): 1-281

- Gelatinous pellicles in deep anoxic hypersaline basins from the eastern Mediterranean (Erba, Elisabetta, *et al.*) 75(1-4): 165-183

- Interstitial water studies of late Quaternary eastern Mediterranean sediments with emphasis on early diagenetic reactions and evaporitic salt influences (ten Haven, H. L., *et al.*) 75(1-4): 119-136

- Late Quaternary Mediterranean sapropels; I, On the origin of organic matter in sapropel S₇ (ten Haven, H. L., *et al.*) 75(1-4): 137-156

- Ostracodes and the early Holocene anoxic event in the eastern Mediterranean; evidence and implications (van Harten, Dick) 75(1-4): 263-269

- Response of benthic foraminifera to stagnant episodes; a quantitative study of core BAN 81-23, eastern Mediterranean (Oggioni, Elisabetta, *et al.*) 75(1-4): 241-261

- Stratigraphy and sedimentation in the western Strabo Trench, eastern Mediterranean (Erba, Elisabetta, *et al.*) 75(1-4): 57-75

- Sulfur and organic carbon contents in sediment cores from the Tyro and Orca basins (Sheu, Der-Duen) 75(1-4): 157-164

- deep-sea environment*: Sedimentological significance of strain and sonic velocity anisotropy in fine-grained turbiditic and hemipelagic deep-sea sediments; an example from the Mississippi Fan (Wetzel, Andreas) 74(3-4): 191-207

- glaciomarine environment*: Late Pliocene variations in the carbon isotope values of North Atlantic benthic foraminifera; biotic control of the isotopic record? (Loubere, Paul) 76(1-2): 45-56

- marine environment*: The geology and geochemistry of the surficial sediments off Thraki, northern Greece (Perissoratis, C., *et al.*) 74(3-4): 209-224

- nearshore environment*: Quartz grain surface textures and depositional interpretations, Nile Delta region, Egypt (Frihy, Omran E., *et al.*) 77(3-4): 247-255

sedimentation—precipitation

- gypsum*: Brine formation and gypsum precipitation in the Bannock Basin, eastern Mediterranean (Corselli, C., *et al.*) 75(1-4): 185-199

sedimentation—processes

- bioclastic sedimentation*: Plankton percentage of the foraminiferal fauna in seafloor samples from the Australian-Irian Jaya continental margin, eastern Indonesia (Van Marle, L. J., *et al.*) 77(1-2): 151-156

- Radiolarian preservation in eastern Mediterranean anoxic sediments (Bjorklund, Kjell R., *et al.*) 75(1-4): 271-281

- Statistical re-analysis for size dependency in deep-sea mixing (Wheatcroft, Robert A., *et al.*) 77(1-2): 157-163

- Subtropical microfossil indicators from the late Pliocene Celtic Sea (Houghton, S. D., *et al.*) 79(1-2): 119-126

- bioturbation*: Bioerosion of intertidal limestone, Co. Clare, Eire; 1, *Paracentrotus lividus* (Trudgill, Stephen T., *et al.*) 74(1-2): 85-98

- Bioerosion of intertidal limestone, Co. Clare, Eire; 2, *Hiatella arctica* (Trudgill, Stephen T., *et al.*) 74(1-2): 99-109

- Bioerosion of intertidal limestone, Co. Clare, Eire; 3, Zonation, process and form (Trudgill, Stephen T.) 74(1-2): 111-121

- The chemistry and mineralogy of haloed burrows in pelagic sediment at DOMES Site A; the equatorial North Pacific (Piper, D. Z., *et al.*) 74(1-2): 41-55

- chemical sedimentation*: The chemistry and mineralogy of ferromanganese encrustations on rocks from the Sierra Leone Rise, equatorial Mid-Atlantic Ridge and New England seamount chain (Goddard, D. A., *et al.*) 77(1-2): 87-98

- deep-sea sedimentation*: Contourite sedimentation in an intraoceanic forearc system; eastern Sunda Arc, Indonesia (Reed, Donald L., *et al.*) 76(3-4): 223-241

- Deep-sea current flow in the Late Cretaceous Caribbean; measurements on St. Croix, U.S. Virgin Islands (Stanley, Daniel Jean) 79(1-2): 127-133

- Late Quaternary plume, nepheloid and turbidite sedimentation and effect of the Gulf Stream near the tail of the Grand Banks, Newfoundland (Alam, Mahmood) 74(3-4): 277-290

- Mass-wasting features on the continental slope of North-west Europe
(Kenyon, Neil H.) 74(1-2): 57-77
- Theoretical modelling of deep ocean sediment transport [discussion and reply]
(Pantin, H. M., *et al.*) 76(1-2): 163-167
- deltaic sedimentation*: Late Quaternary stratigraphy and paleogeography of the eastern Nile Delta, Egypt
(Coutellier, Vincent, *et al.*) 77(3-4): 257-275
- Late Quaternary tectonic and sedimentary history of outer Izmir and Candarli bays, western Turkey
(Aksu, A. E., *et al.*) 76(1-2): 89-104
- estuarine sedimentation*: A sand wave field in the entrance to Bahia Blanca estuary, Argentina
(Aliotta, Salvador, *et al.*) 76(1-2): 1-14
- Circulation and sedimentation of suspended particulate matter in New Zealand fjords
(Pickrill, R. A.) 74(1-2): 21-39
- glaciomarine sedimentation*: Proglacial sediment instability features on the Scotian Slope at 63°W
(Piper, David J. W., *et al.*) 76(1-2): 15-31
- Sea level changes, carbonate dissolution and history of the Benguela Current in the Oligocene-Miocene off Southwest Africa (DSDP Site 362, Leg 40)
(Diester-Haass, L.) 79(3-4): 213-242
- intertidal sedimentation*: Low-frequency changes of sediment volume on the beachface at Warilla Beach, New South Wales, 1975-1985
(Clarke, D. J., *et al.*) 79(3-4): 189-211
- Preliminary field observations on beach cusp formation and characteristics on tidally and morphodynamically distinct beaches on the Nigerian coast
(Antia, E. E.) 78(1-2): 23-33
- The interrelation and distinction between flood-tidal delta and washover deposits in a transgressive barrier island
(Hennessy, John T., *et al.*) 78(1-2): 35-56
- marine sedimentation*: Changes in mid-depth North Atlantic and Mediterranean circulation during the late Pliocene; isotopic and sedimentological evidence
(Loubere, Paul) 77(1-2): 15-38
- Depositional history of Quaternary sediments on the continental shelf off the southeastern coast of Korea (Korea Strait)
(Park, Soo C., *et al.*) 79(1-2): 65-75
- Evolution of the Cape Fear Terrace; a complex interaction between the Gulf Stream and a paleo-shelf edge delta
(Matteucci, Thomas D., *et al.*) 77(3-4): 185-205
- nearshore sedimentation*: A study of some physical properties of sediments of the backwaters and the adjoining continental shelf off Cochin, India
(Murty, G. R. K., *et al.*) 77(1-2): 121-128
- Mangroves and intertidal morphology in Westernport Bay, Victoria, Australia [discussion and reply]
(Spenceley, A. P., *et al.*) 77(3-4): 327-331
- Monsoon-induced seasonal variability of sheltered versus exposed beaches along the west coast of India
(Shenoi, S. S. C., *et al.*) 76(1-2): 117-130
- Nearshore bar formation by non-linear wave processes; a comparison of model results and field data
(Boczar-Karakiewicz, Barbara, *et al.*) 77(3-4): 287-304
- Recent deposits and suspended sediments off the Po della Pila (Po River, main mouth), Italy
(Boldrin, A., *et al.*) 79(3-4): 159-170
- The impact of Hurricane Diana on the North Carolina continental shelf
(Vaughan, Nancy D., *et al.*) 76(1-2): 169-176
- sedimentation—provenance**
- heavy minerals*: The black sand placer deposits of Kerala beach, Southwest India
(Mallik, T. K., *et al.*) 77(1-2): 129-150
- silt*: Sources and distribution of late Quaternary silt in the surficial sediment of the northeastern continental shelf of the United States
(Mazzullo, Jim, *et al.*) 78(3-4): 241-254
- terrigenous materials*: The original shapes of quartz silt grains; a test of the validity of the use of quartz grain shape analysis to determine the sources of terrigenous silt in marine sedimentary deposits
(Haines, John, *et al.*) 78(3-4): 227-240
- sedimentation—sedimentation rates**
- deep-sea sedimentation*: Retrospective dry bulk density estimates from Southeast Indian Ocean sediments; comparison of water loss and chloride-ion methods
(Clemens, Steven C., *et al.*) 76(1-2): 57-69
- Sediments from a hydrothermal field in the central valley of the Galapagos Rift spreading center
(Marchig, V., *et al.*) 76(3-4): 243-251
- Structure and evolution of the Kerguelen-Heard Plateau (Indian Ocean) deduced from seismic stratigraphic studies
(Munsch, Marc, *et al.*) 76(1-2): 131-152
- marine sedimentation*: Late Quaternary sedimentation in the Tyro and Kretheus basins, southeast of Crete
(Troelstra, Simon R.) 75(1-4): 77-91
- Stratigraphy and sedimentation in the anoxic Bannock Basin (eastern Mediterranean)
(Parisi, Elisabetta, *et al.*) 75(1-4): 93-117
- sedimentation—transport**
- ice rafting*: Ice erosion of a sea-floor knickpoint at the inner edge of the stamukhi zone, Beaufort Sea, Alaska
(Barnes, Peter W., *et al.*) 76(3-4): 207-222
- marine transport*: A simple model of beach foreshore response to long-period waves
(Howd, P. A., *et al.*) 78(1-2): 11-22
- Differential supply and longshore transport as determinants of sediment distribution on the north coast of Tasmania
(Davies, J. L., *et al.*) 77(3-4): 233-245
- Experimental assessment of two theories for the effect of bed slope on the threshold of bedload transport
(Whitehouse, R. J. S., *et al.*) 79(1-2): 135-139
- Flow characteristics at the rip current neck under low energy conditions
(Bowman, D., *et al.*) 79(1-2): 41-54
- Indication of long term episodic suspension transport of sand across the Norfolk Banks, North Sea
(Stride, A. H.) 79(1-2): 55-64
- Particle-size distributions within hydrothermal plumes over the Juan de Fuca Ridge
(Walker, Sharon L., *et al.*) 78(3-4): 217-226
- Sand dispersion from an ephemeral river delta on the Central California coast
(Hicks, D. Murray, *et al.*) 77(3-4): 305-318

- Surface current patterns suggested by suspended sediment distribution over the outer continental margin, Bering Sea
(Karl, Herman A., *et al.*) 74(3-4): 301-308
- Suspended particulate matter transport through the Vema Channel
(Richardson, M. J., *et al.*) 77(3-4): 171-184
- Transport of mud on continental shelves; evidence from the Texas Shelf
(Sahl, Lauren E., *et al.*) 76(1-2): 33-43
- turbidity currents*: Large submarine slides on the Norwegian continental margin; sediments, transport and timing
(Jansen, Eystein, *et al.*) 78(1-2): 77-107
- Sedimentation in the Zakynthos Channel; a conduit link to the Hellenic Trench, eastern Mediterranean
(Cramp, A., *et al.*) 76(1-2): 71-87
- Turbidite to current-reworked sand continuum in Upper Cretaceous rocks, U.S. Virgin Islands
(Stanley, Daniel Jean) 78(1-2): 143-151
- wind transport*: Low-frequency variation in the seasonal intensity of coastal weather systems and sediment movement on the beachface of a sandy beach
(Clarke, D. J., *et al.*) 79(1-2): 23-39
- sediments** *see also* sedimentary rocks; sedimentary structures; sedimentation
- sediments—clastic sediments**
 - quartz sand*: Quartz grain surface textures and depositional interpretations, Nile Delta region, Egypt
(Frihy, Omran E., *et al.*) 77(3-4): 247-255
 - sand*: The black sand placer deposits of Kerala beach, Southwest India
(Mallik, T. K., *et al.*) 77(1-2): 129-150
- sediments—lithofacies**
 - environmental analysis*: Late Quaternary stratigraphy and paleogeography of the eastern Nile Delta, Egypt
(Coutellier, Vincent, *et al.*) 77(3-4): 257-275
 - The interrelation and distinction between flood-tidal delta and washover deposits in a transgressive barrier island
(Hennessy, John T., *et al.*) 78(1-2): 35-56
- sediments—marine sediments**
 - chemical composition*: Hydrothermal metallogenesis at the Wilkes fracture zone—East Pacific Rise intersection
(Varnavas, S. P.) 79(1-2): 77-104
 - composition*: Mineralogy of polymetallic nodules and associated sediments from the central Indian Ocean basin
(Rao, V. Purnachandra) 74(1-2): 151-157
 - Plankton percentage of the foraminiferal fauna in seafloor samples from the Australian-Irian Jaya continental margin, eastern Indonesia
(Van Marle, L. J., *et al.*) 77(1-2): 151-156
 - Sediments from a hydrothermal field in the central valley of the Galapagos Rift spreading center
(Marchig, V., *et al.*) 76(3-4): 243-251
 - The geology and geochemistry of the surficial sediments off Thraki, northern Greece
(Perissoratis, C., *et al.*) 74(3-4): 209-224
 - contourite*: Contourite sedimentation in an intraoceanic forearc system; eastern Sunda Arc, Indonesia
(Reed, Donald L., *et al.*) 76(3-4): 223-241
 - degassing*: Seafloor gas seeps triggered by a Northern California earthquake
(Field, Michael E., *et al.*) 77(1-2): 39-51
 - distribution*: Differential supply and longshore transport as determinants of sediment distribution on the north coast of Tasmania
(Davies, J. L., *et al.*) 77(3-4): 233-245
 - environmental analysis*: Brine formation and gypsum precipitation in the Bannock Basin, eastern Mediterranean
(Corselli, C., *et al.*) 75(1-4): 185-199
 - Changes in mid-depth North Atlantic and Mediterranean circulation during the late Pliocene; isotopic and sedimentological evidence
(Loubere, Paul) 77(1-2): 15-38
 - Late Quaternary sedimentation in the Tyro and Kretheus basins, southeast of Crete
(Troelstra, Simon R.) 75(1-4): 77-91
 - Late Quaternary sedimentation in the Tyro and Kretheus basins, southeast of Crete
(Troelstra, Simon R.) 75(1-4): 77-91
 - Ostracodes and the early Holocene anoxic event in the eastern Mediterranean; evidence and implications
(van Harten, Dick) 75(1-4): 263-269
 - Plio-Pleistocene sedimentation on the Walvis Ridge, Southeast Atlantic (DSDP Leg 75, Site 532); influence of surface currents, carbonate dissolution and climate
(Diester-Haass, L., *et al.*) 77(1-2): 53-85
 - Recent deposits and suspended sediments off the Po della Pila (Po River, main mouth), Italy
(Boldrin, A., *et al.*) 79(3-4): 159-170
 - Response of benthic foraminifera to stagnant episodes; a quantitative study of core BAN 81-23, eastern Mediterranean
(Oggioni, Elisabetta, *et al.*) 75(1-4): 241-261
 - The impact of Hurricane Diana on the North Carolina continental shelf
(Vaughan, Nancy D., *et al.*) 76(1-2): 169-176
 - Variability of Holocene diatom assemblages in laminated sediments near Walvis Bay, Southwest Africa
(Pokras, Edward M., *et al.*) 76(3-4): 185-194
 - geochemistry*: A Walsh spectral comparison of oxygen ($\delta^{18}\text{O}$) and carbon isotope ($\delta^{13}\text{C}$) variations of the Pleistocene bore hole (Eureka 67-135) from the Gulf of Mexico and their orbital significance
(Tiwari, R. K.) 78(1-2): 167-174
 - Carbon and oxygen isotope composition of Globigerinoides ruber in two deep-sea cores from the Levantine Basin (eastern Mediterranean)
(Parisi, Elisabetta) 75(1-4): 201-219
 - Geochemistry of surface sediments from the Arabian Sea
(Shankar, R., *et al.*) 76(3-4): 253-279
 - Paleoenvironmental changes from stable isotopes in planktonic foraminifera from eastern Mediterranean sapropels
(Ganssen, Gerald, *et al.*) 75(1-4): 221-230
 - Sulfur and organic carbon contents in sediment cores from the Tyro and Orca basins
(Sheu, Der-Duen) 75(1-4): 157-164
 - The chemistry and mineralogy of haloed burrows in pelagic sediment at DOMES Site A; the equatorial North Pacific
(Piper, D. Z., *et al.*) 74(1-2): 41-55
 - lithofacies*: Depositional history of Quaternary sediments on the continental shelf off the southeastern coast of Korea

- (Korea Strait)
(Park, Soo C., *et al.*) 79(1-2): 65-75
- Late Quaternary plume, nepheloid and turbidite sedimentation and effect of the Gulf Stream near the tail of the Grand Banks, Newfoundland
(Alam, Mahmood) 74(3-4): 277-290
- Sedimentation in the Zakynthos Channel; a conduit link to the Hellenic Trench, eastern Mediterranean
(Cramp, A., *et al.*) 76(1-2): 71-87
- mechanical properties*: Geotechnical properties and sedimentological processes of the Rhone continental margin
(Chassefiere, B., *et al.*) 74(3-4): 225-235
- mineral composition*: The $\text{TiO}_2/\text{Al}_2\text{O}_3$ ratio in the Cenozoic Bengal abyssal fan sediments and its use as a paleostream energy indicator
(Schmitz, Birger) 76(3-4): 195-206
- ooze*: Pelagic sedimentation on an inactive gullied slope, Northwest Providence Channel, Bahamas
(Burns, Stephen J., *et al.*) 77(3-4): 277-286
- organic materials*: Gelatinous pellicles in deep anoxic hypersaline basins from the eastern Mediterranean
(Erba, Elisabetta, *et al.*) 75(1-4): 165-183
- Late Quaternary Mediterranean sapropels; I, On the origin of organic matter in sapropel S₇
(ten Haven, H. L., *et al.*) 75(1-4): 137-156
- physical properties*: A study of some physical properties of sediments of the backwaters and the adjoining continental shelf off Cochin, India
(Murty, G. R. K., *et al.*) 77(1-2): 121-128
- Sedimentological significance of strain and sonic velocity anisotropy in fine-grained turbiditic and hemipelagic deep-sea sediments; an example from the Mississippi Fan
(Wetzel, Andreas) 74(3-4): 191-207
- pore water*: Interstitial water studies of late Quaternary eastern Mediterranean sediments with emphasis on early diagenetic reactions and evaporitic salt influences
(ten Haven, H. L., *et al.*) 75(1-4): 119-136
- properties*: Retrospective dry bulk density estimates from Southeast Indian Ocean sediments; comparison of water loss and chloride-ion methods
(Clemens, Steven C., *et al.*) 76(1-2): 57-69
- provenance*: Sand dispersion from an ephemeral river delta on the Central California coast
(Hicks, D. Murray, *et al.*) 77(3-4): 305-318
- Sources and distribution of late Quaternary silt in the surficial sediment of the northeastern continental shelf of the United States
(Mazzullo, Jim, *et al.*) 78(3-4): 241-254
- The original shapes of quartz silt grains; a test of the validity of the use of quartz grain shape analysis to determine the sources of terrigenous silt in marine sedimentary deposits
(Haines, John, *et al.*) 78(3-4): 227-240
- textures*: Sea level changes, carbonate dissolution and history of the Benguela Current in the Oligocene-Miocene off Southwest Africa (DSDP Site 362, Leg 40)
(Diester-Haass, L.) 79(3-4): 213-242
- Statistical re-analysis for size dependency in deep-sea mixing
(Wheatcroft, Robert A., *et al.*) 77(1-2): 157-163
- Storm-generated, episodic sediment movements off Kahe Point, Oahu, Hawaii
(Tsutsui, Bruce, *et al.*) 76(3-4): 281-299
- turbidite*: Large submarine slides on the Norwegian continental margin; sediments, transport and timing
(Jansen, Eystein, *et al.*) 78(1-2): 77-107
- seismic surveys* *see under* geophysical surveys *under* Aegean Sea; Atlantic Ocean; East China Sea; Indian Ocean; Japan Sea; Mediterranean Sea; Pacific Ocean; Red Sea
- seismology—earthquakes**
seismotectonics: Strain deformation in the northern Indian Ocean
(Singh, D. D.) 79(1-2): 105-118
- shore features* *see under* geomorphology
- shorelines* *see also under* engineering geology *under* California; New South Wales
- slope stability* *see also* geomorphology
- soil mechanics—liquefaction**
marine sediments: Seafloor gas seeps triggered by a Northern California earthquake
(Field, Michael E., *et al.*) 77(1-2): 39-51
- soil mechanics—materials, properties**
marine sediments: Geotechnical properties and sedimentological processes of the Rhone continental margin
(Chassefiere, B., *et al.*) 74(3-4): 225-235
- South Africa—oceanography**
continental slope: Seismic, bathymetric and photographic evidence of widespread erosion and a manganese-nodule pavement along the continental rise of the Southeast Cape Basin
(Rogers, J.) 78(1-2): 57-76
- ocean circulation*: Distribution patterns of rip frequency and intensity in Algoa Bay, South Africa
(Talbot, M. M. B., *et al.*) 76(3-4): 319-324
- South America** *see also* Argentina; Peru
- South China Sea—oceanography**
ocean circulation: Ocean ventilation during the last 12,000 years; hypothesis of counterpoint deep water production
(Berger, W. H.) 78(1-2): 1-10
- South-West Africa** *see* Namibia
- Southern Hemisphere** *see also* Antarctic Ocean; Antarctica; Atlantic Ocean; Indian Ocean; Pacific Ocean
- Southwestern U.S.** *see also* Texas
- spectroscopy** *see also* electron microscopy
- springs** *see also* ground water
- sulfur—geochemistry**
marine sediments: Sulfur and organic carbon contents in sediment cores from the Tyro and Orca basins
(Sheu, Der-Duen) 75(1-4): 157-164
- sulfur— isotopes**
S-34/S-32: Sulfur and oxygen isotopic compositions of dissolved sulfate in the Orca Basin; implications for origin of the high-salinity brine and oxidation of sulfides at the brine-seawater interface
(Sheu, Der-Duen, *et al.*) 78(3-4): 303-310
- sulphur** *see* sulfur
- Tasman Sea—oceanography**
sedimentation: Differential supply and longshore transport as determinants of sediment distribution on the north coast of Tasmania
(Davies, J. L., *et al.*) 77(3-4): 233-245

Tasmania—oceanography

sedimentation: Differential supply and longshore transport as determinants of sediment distribution on the north coast of Tasmania
(Davies, J. L., *et al.*) 77(3-4): 233-245

techniques *see under* experimental studies *under* clay mineralogy; *see under* electron microscopy; marine geology; oceanography; sedimentary petrology

tectonics *see also* faults

terraces *see under* shore features *under* geomorphology

Texas—oceanography

continental shelf: Transport of mud on continental shelves; evidence from the Texas Shelf
(Sahl, Lauren E., *et al.*) 76(1-2): 33-43

thermal analysis *see also* electron microscopy

trace elements *see under* geochemistry *under* Arabian Sea; rare earths

turbidity currents *see under* transport *under* sedimentation

Turkey—oceanography

continental shelf: Late Quaternary tectonic and sedimentary history of outer Izmir and Candarli bays, western Turkey
(Aksu, A. E., *et al.*) 76(1-2): 89-104

Turkey—stratigraphy

changes of level: Late Quaternary tectonic and sedimentary history of outer Izmir and Candarli bays, western Turkey
(Aksu, A. E., *et al.*) 76(1-2): 89-104

Quaternary: Late Quaternary tectonic and sedimentary history of outer Izmir and Candarli bays, western Turkey
(Aksu, A. E., *et al.*) 76(1-2): 89-104

Tyrrhenian Sea—oceanography

ocean floors: Structural evolution of the Tyrrhenian back-arc basin
(Rehault, J. P., *et al.*) 74(1-2): 123-150

— Vavilov Seamount; a mildly alkaline Quaternary volcano in the Tyrrhenian Basin
(Robin, C., *et al.*) 78(1-2): 125-136

Tyrrhenian Sea—tectonophysics

crust: Structural evolution of the Tyrrhenian back-arc basin
(Rehault, J. P., *et al.*) 74(1-2): 123-150

underground water *see* ground water

United Kingdom *see also* England; Scotland

United States *see also* Alaska; California; Delaware; Eastern U.S.; Hawaii; New Jersey; New York; North Carolina; Texas

varves *see under* planar bedding structures *under* sedimentary structures

Victoria—geomorphology

shore features: Mangroves and intertidal morphology in Westernport Bay, Victoria, Australia [discussion and reply]
(Spenceley, A. P., *et al.*) 77(3-4): 327-331

volcanic rocks *see under* igneous rocks

volcanism *see under* volcanology

volcanology—volcanism

intraplate tectonics: Age determinations of eastern Pacific seamounts (Henderson, 6 and 7); implications for near-ridge and intraplate volcanism

(Honda, M., *et al.*) 74(1-2): 79-84

submarine environment: Hydrothermal sulfides from a submarine caldera in the Shichito-Iwojima Ridge, northwestern Pacific

(Urabe, T., *et al.*) 74(3-4): 295-299

— Vavilov Seamount; a mildly alkaline Quaternary volcano in the Tyrrhenian Basin

(Robin, C., *et al.*) 78(1-2): 125-136

water *see also* ground water; hydrology

weathering *see also under* geomorphology *under* England

West Indies *see also* Bahamas; Lesser Antilles

Western Australia—geomorphology

changes of level: Groundwater-level changes in a coastal dune, sea-level fluctuations and shoreline movement on a sandy beach

(Clarke, D. J., *et al.*) 77(3-4): 319-326

Western Hemisphere *see also* Atlantic Ocean; Pacific Ocean

Western U.S. *see also* Alaska; California; Hawaii